

Appendix to Space Research in Finland, Report to Cospar 2008

International peer-reviewed articles in 2006 and 2007

Edited by Hannu Koskinen

Magnetospheric and Ionospheric research	p. 1
Solar System Research	p. 7
Astronomy and Cosmology	p. 15
Space geodesy, remote sensing and atmospheric sciences	p. 23
Instruments and methods	p. 29

Note:

- Author names are sorted according to English alphabetical order
- Papers related to cosmic rays are categorized either in M-I research, solar system research, astronomy, or atmospheric research depending on the focus of the article
- doi identification is indicated for papers in journals where page numbers are not given

Magnetospheric and ionospheric research

- Aikio, A.T., Pitkänen, T., Kozlovsky, A., Amm, O., 2006: Method to locate the polar cap boundary in the nightside ionosphere and application to a substorm event. *Ann. Geophys.*, 24, 1905-1917, 2006.
- Aminaei, A. et al. with Viljanen, A., 2006: Characteristics of night-time absorption spike events. *Ann. Geophys.*, 24, 1887-1904.
- Amm, O. et al. 2006: Substorm topology in the ionosphere and magnetosphere during a flux rope event in the magnetotail. *Ann. Geophys.*, 24, 735-750, 2006.
- Apatenkov, S. V. et al. with Ganushkina, N., Pulkkinen, T., 2007: Multispacecraft observation of plasma dipolarization/injection in the inner magnetosphere. *Ann. Geophys.*, 25, 801-814, 2007.
- Ashrafi, M. et al. with Kaila, K., 2007: Spatiotemporal evolution of radio wave pump-induced ionospheric phenomena near the fourth electron gyroharmonic. *J. Geophys. Res. A*, 112, A05314.
- Asikainen, T., Mursula, K., 2006: Reconnection and energetic particles at the edge of the exterior cusp, *Ann. Geophys.*, 24, 7, 1949-1956.
- Blagoveshchenskaya, N.F. et al. with Bösinger, T., 2006: Heater-induced phenomena in a coupled ionosphere-magnetosphere system. *Adv. Space Res.*, 38, 11, 2495-2502.
- Clilverd, M. A., Rodger C. J., Ulich, Th., 2006: The importance of atmospheric precipitation in storm-time relativistic electron flux drop outs, *Geophys. Res. Lett.*, 33, L01102, doi:10.1029/2005GL024661.

- Clilverd, M. A. et al. with Seppälä, A., Verronen, P., Turunen, E., Ulich, Th., 2006: Modeling polar ionospheric effects during the October-November 2003 solar proton events. *Radio Sci.*, 41, RS2001, doi:10.1029/2005RS003290.
- Donovan, E. et al. with Syrjäsuo, M., Pulkkinen, T., 2007: Global auroral imaging in the ILWS era. *Adv. Space Res.*, 40, 409-418, 2007.
- Ermakova, E.N. et al. with Bösinger, T., 2006: A power line as a tunable ULF-wave radiator: Properties of artificial signal at distances of 200 to 1000 km, *J. Geophys. Res. A*, 111, A04305-1-11.
- Fear, R.C. et al. with Asikainen, T., 2007: Motion of flux transfer events: a test of the Cooling model, *Ann. Geophys.*, 25, 1669-1690.
- Feygin, F. Z. et al. with Pikkariainen, T., Raita, T., 2007: Pc1 pearl waves with magnetosonic dispersion, *J. Atmos. Sol.-Terr. Phys.*, 69, 1644-1650.
- Ganushkina, N.Yu., Pulkkinen, T.I., Milillo, A., Liemohn, M., 2006: Evolution of Energy Constituents of Proton Ring Current in the Earth's Magnetosphere During April 21-25, 2001 Storm Event. *J. Geophys. Res.*, 111, A10218, doi:10.1029/2006JA011661.
- Goodrich, C.C., Pulkkinen, T.I. et al., 2007: Magnetospheric convection during intermediate driving: Sawtooth events and steady convection intervals as seen in the LFM global MHD simulation. *J. Geophys. Res.*, 112, A08201, doi:10.1029/2006JA012155, 2007.
- Griffin, E. et al. with Kauristie, K., 2006: Combined ground-based optical support for the aurora (DELTa) sounding rocket campaign. *Earth, Planets and Space*, 58, 1113-1121.
- Grocott, A. et al. with Amm, O., Juusola, L., 2007: Multi-scale observations of magnetotail flux transport during IMF-northward non-substorm intervals. *Ann. Geophys.*, 25, 1709-1720, 2007.
- Guglielmi, A., Kangas, J., 2007: Pc1 waves in the system of solar-terrestrial relations: New reflections, *J. Atmos. Sol.-Terr. Phys.*, 69, 14, 1635-1643.
- Haldoupis, C. et al. with T. Bösinger, 2006: Early/slow events: a new category of VLF perturbations observed in relation with sprites, *J. Geophys. Res. A*, 111, A11321 1-9.
- Holma, H., Kaila, K.U. et al., 2006: Recognizing the blue emission in artificial aurora , *Adv. Space Res.*, 38, No. 11, 2653-2658.
- Hubert, B. et al. with Palmroth, M., Laitinen, T.V., Janhunen, P., Pulkkinen, T.I., 2006: Compression of the Earths magnetotail by interplanetary shocks directly drives transient magnetic flux closure. *Geophys. Res. Lett.*, 33, L10105, doi:10.1029/2006GL026008.
- Hubert, B. et al. with Kauristie, K., Amm, O., Pulkkinen, T.I., 2007: Auroral streamers and magnetic flux closure. *Geophys. Res. Lett.*, 34, L15105, doi:10.1029/2007GL030580.
- Huttunen, K.E.J., Koskinen, H.E.J., Karinen, A. and Mursula, K., 2006: Asymmetric development of magnetospheric storms during magnetic clouds and sheath regions. *Geophys. Res. Lett.*, 33, No. 6, L06107, 10.1029/2005GL024894.
- Jämsen, T., Usoskin, I. G., Räihä, T., Sarkamo, J., Kovaltsov, G. A., 2007: Case study of Forbush decreases: Energy dependence of the recovery, *Adv. Space Res.*, 40, 342-347.
- Janhunen, P. et al., 2006: Alfvenic electron acceleration in aurora occurs in global Alfven Resonosphere region. *Space Sci. Rev.*, 122, 89-95.

- Juusola, L., Amm, O., Viljanen, A., 2006: One-dimensional spherical elementary current systems and their use for determining ionospheric currents from satellite measurements. *Earth, Planets and Space*, 58, 667-678.
- Juusola, L., Amm, O., Kauristie, K., Viljanen, A., 2007: A model for estimating the relation between the Hall to Pedersen conductance ratio and ground magnetic data derived from CHAMP satellite statistics. *Ann. Geophys.*, 25, 721-736.
- Karinne, A., Mursula, K., 2006: Correcting the Dst index: Consequences for absolute level and correlations. *J. Geophys. Res. A*, 111, A08207.
- Kavanagh, A. J. et al. with Manninen, J., 2007: Energetic electron precipitation during sawtooth injections. *Ann. Geophys.*, 25, 1199-1214.
- Keiling, A. et al. with Amm, O., 2006: Association of Pi2 pulsations, auroral breakup and pulsed reconnection: Ground and Cluster observations in the tail lobe at 16 RE. *Ann. Geophys.*, 24, 3433-3449.
- Kero, A., Enell, C.-F., Ulich, Th., Turunen, E. et al., 2007: Statistical signature of active D-region HF heating in IRIS riometer data from 1994-2004. *Ann. Geophys.*, 25, 407-415.
- Kirkwood, S. et al. with Manninen, J., 2006: Polar mesosphere winter echoes during MaCWave. *Ann. Geophys.*, 24, 1245-1255.
- Koskinen, H.E.J., Huttunen, K.E.J., 2006: Space Weather: From Solar Eruptions to Magnetospheric Storms, in N. Goplaswamy, R. Mewald, and J. Torsti (eds.), *Solar Eruptions and Energetic Particles*. *Geophys. Monogr. Ser.*, Vol. 165, AGU, 375-385.
- Koskinen, H.E.J., Huttunen, K.E.J., 2006: Geoeffectivity of coronal mass ejections. *Space Sci. Rev.* 124, 169-181.
- Kozelova, T.V. et al. with Danielides, M.A., 2006: Alternating bursts of low energy ions and electrons near the substorm onset. *Ann. Geophys.*, 24, No. 7, 1957-1968.
- Koustov, A. V. et al. with Turunen, E., Raita, T., 2007: Heights of SuperDARN F region echoes estimated from the analysis of HF radio wave propagation. *Ann. Geophys.*, 25, 1987-1994.
- Kovaltsov, G. A., Usoskin, I. G., 2007: Regional cosmic ray induced ionization and geomagnetic field changes. *Adv. Geosciences*, 13, 31-35.
- Kozlovsky, A. E. et al. 2006: Complex study of the auroral arc dynamics and ionospheric plasma convection in prenoon hours. *Geomagn and Aeron. (English Transl.)*, 46, 4, 473-484.
- Kozlovsky, A. et al. with Aikio, A., Turunen, T., Kauristie, K., 2007: Dynamics and electric currents of morningside Sun-aligned auroral arcs. *J. Geophys. Res.*, 112, A06306, doi:10.1029/2006JA012244.
- Kozlovsky, A., Meurant, M., Turunen, T., 2007: Changes of dayside auroral distribution caused by a solar wind pressure pulse and associated interplanetary magnetic field disturbances. *Ann. Geophys.*, 25, 929-940.
- Kozyreva, O. V. et al. with, Kauristie, K., Manninen, J., Ranta, A., 2006: Unusual spatial-temporal dynamics of geomagnetic disturbances during the main phase of the extremely strong magnetic storm of November 7-8, 2004. *Geomagn. Aeron.*, 46(5), 614-626 (English transl. in *Geomagn. Aeron.* 46(5), 580-592), 2006.
- Kurihara, J. et al. with Kauristie, K., 2006: Observations of the lower thermospheric neutral temperature and density in the DELTA campaign. *Earth, Planets and Space*, 58, 1123-1130.

- Laitinen, T.V., Janhunen, P., Pulkkinen, T.I., Palmroth, M., Koskinen, H.E.J., 2006: On the characterization of magnetic reconnection in global MHD simulations. *Ann. Geophys.*, 24, 3059-3069.
- Laitinen, T.V. et al., 2007: Global and local disturbances in the magnetotail during reconnection. *Ann. Geophys.*, 25, 1025-1035.
- Laitinen, T.V., Palmroth, M., Pulkkinen, T.I., Janhunen, P., Koskinen, H.E.J., 2007: Continuous reconnection line and pressure-dependent energy conversion on the magnetopause in a global MHD model. *J. Geophys. Res.*, 112, A11201, doi:10.1029/2007JA012352.
- Lastovicka, J. et al. with Ulich, Th., 2006: Long-term trends in foF2: A comparison of various methods. *J. Atm. Sol.-Terr. Phys.*, 68, 1854-1870.
- Lavraud, B. et al. with Pulkkinen, T.I., 2006: Magnetospheric preconditioning under northward IMF: Evidence from the study of CME and CIR geoeffectiveness. *J. Geophys. Res.*, 111, A09208, doi:10.1029/2006JA11627.
- Longden, N. et al. with Manninen, J., 2007: The driving mechanisms of particle precipitation during the moderate geomagnetic storm of 7 January 2005. *Ann. Geophys.*, 25, 2053-2068.
- Lubchich, A. A., et al., with Manninen, J. and Turunen, T., 2006: Longitudinal drift of substorm electrons as the reason of impulsive precipitation events and VLF emissions, *Annales Geophysicae*, 24, 2667-2684.
- Makarevich, R.A. et al. with Uspensky, M., 2007: Aspect angle dependence of the E region irregularity velocity at large flow angles. *J. Geophys. Res.*, V.112, A11303, doi:10.1029/2007JA012342, 2007.
- Martini, D., Mursula, K., 2006: Correcting the geomagnetic IHV index of the Eskdalemuir observatory. *Ann. Geophys.*, 24, No. 12, 3411-3419.
- Mursula, K., Martini, D., 2006: Centennial increase in geomagnetic activity: Latitudinal differences and global estimates. *J. Geophys. Res. A*, 111, A08209.
- Mursula, K., 2007: Satellite observations of Pc 1 pearl waves: The changing paradigm. *J. Atmos. Sol.-Terr. Phys.*, 69, 14, 1623-1634.
- Mursula, K., Martini, D., 2007: New indices of geomagnetic activity at test: Comparing the correlation of the analogue ak index with the digital Ah and IHV indices at the Sodankylä station, *Adv. Space Res.*, 40, 1105-1111.
- Mursula, K., Martini, D., 2007: A new verifiable measure of centennial geomagnetic activity: Modifying the K index method for hourly data. *Geophys. Res. Lett.*, 34, L22107.
- Mursula, K., Usoskin, I.G., Maris, G., 2007: Introduction to space climate. *Adv. Space Res.*, 40, 885-887.
- Nevanlinna, H., 2006: A study on the great geomagnetic storm of 1859: Comparisons with other storms in the 19th century. *Adv. Space Res.*, 38, 180-187.
- Nygrén, T., Aikio, A.T., Voiculescu, M., Ruohoniemi, J.M., 2006: IMF effect on sporadic-E layers at two northern polar cap sites: Part II - Electric field. *Ann. Geophys.*, 24, No. 3, 901-913.
- Palmroth, M., Janhunen, P., Pulkkinen, T.I., 2006: Hysteresis in the solar wind power input into the magnetosphere. *Geophys. Res. Lett.*, Vol. 33, L03107, doi:10.1029/2005GLO25188.

- Palmroth, M., Janhunen, P. et al., 2006: Precipitation and total power consumption in the ionosphere: Global MHD simulation results compared with Polar and SNOE observations. *Ann. Geophys.*, 24, 861-872.
- Palmroth, M., Laitinen, T.V., Pulkkinen, T.I., 2006: Magnetopause energy and mass transfer: Results from a global MHD simulation. *Ann. Geophys.*, 24, 3467-3480.
- Palmroth, M. et al. with Partamies, N., Polvi, J., Pulkkinen, T. I., Vainio, R., 2007: Solar wind - magnetosphere coupling efficiency for solar wind pressure impulses. *Geophys. Res. Lett.*, 34, L11101, doi:10.1029/2006GL029059.
- Parrot, M. et al. with Manninen, J., Turunen, T., Raita, T., 2007: Simultaneous observation on board a satellite and on the ground of large-scale magnetospheric line radiation. *Geophys. Res. Lett.*, 34, L19102, Doi: 10.1029/2007GL030630.
- Partamies, N., Kauristie, K. et al., 2006: Meso-scale aurora within the expansion phase bulge. *Ann. Geophys.*, 24, 2209-2218.
- Partamies, N., Syrjäsuö, M., Donovan, E., 2007: Using colour in auroral imaging. *Canadian Journal of Physics*, 85, 2, 101-109.
- Pirjola, R., 2007: Calculation of geomagnetically induced currents (GIC) in a high-voltage electric power transmission system and estimation of effects of overhead shield wires on GIC modelling. *J. Atmos. Sol.-Terr. Phys.*, 69, 12, 1305-1311.
- Pirjola, R. et al. 2007: Modelling the disturbance caused by a dc-electrified railway to geomagnetic measurements. *Earth, Planets and Space*, 59, 8, 943-949.
- Prikner, K, Mursula, K., Bösinger, T., Feygin, F. Z., Raita, T., 2007: The effective altitude range of the ionospheric Alfvén resonator studied by high-altitude EISCAT measurements, *J. Atmos. Sol.-Terr. Phys.*, 69, 1657-1667.
- Pulkkinen, A., Viljanen, A., Pirjola, R., 2006: Estimation of geomagnetically induced current levels from different input data. *Space Weather*, 4, S08005, doi:10.1029/2006SW000229.
- Pulkkinen, A., Pirjola, R., Viljanen, A., 2007: Determination of ground conductivity and system parameters for optimal modeling of geomagnetically induced current flow in technological systems. *Earth Planets and Space*, 59, 9, 999-1006.
- Pulkkinen, T.I., Ganushkina, N.Yu., Tanskanen, E.I. et al., 2006: Magnetospheric current systems during stormtime sawtooth events. *J. Geophys. Res.*, 111, A11S17, doi:10.1029/2006JA011627, 2006.
- Pulkkinen, T.I., Palmroth, M., Tanskanen, E.I., Janhunen, P., Koskinen, H.E.J., Laitinen, T.V., 2006: New interpretation of magnetospheric energy circulation. *Geophys. Res. Lett.*, 33, L07101, doi:10.1029/2006GL025457.
- Pulkkinen, T.I., 2007: Space Weather: Terrestrial Perspective. *Living Reviews in Sol. Phys.*, 4, <http://www.livingreviews.org/lrsp-2007-1>.
- Pulkkinen, T.I. et al., 2007: Solar wind electric field driving of magnetospheric activity: Is it velocity or magnetic field? *Geophys. Res. Lett.*, 34, L21101, doi:10.1029/2007GL031011, 2007.
- Pulkkinen, T.I., Palmroth, M., McPherron, R.L., 2007: What drives magnetospheric activity under northward IMF conditions? *Geophys. Res. Lett.*, 34, L18104, doi:10.1029/2007GL030619.
- Pulkkinen, T.I., Palmroth, M., Tanskanen, E.I., Ganushkina, N.Yu. et al., 2007: Large-scale solar wind - magnetosphere coupling. *J. Atmos. Solar-Terr. Phys.*, 69, 256-264, doi:10.1016/j.jastp.2006.05.029, 2007.

- Pulkkinen, T.I., Partamies, N., Huttunen, K.E.J., Reeves, G.D., Koskinen, H.E.J., 2007: Differences in geomagnetic storms driven by magnetic coulds and ICME sheath regions. *Geophys. Res. Lett.*, 34, L02105, doi:10.1029/2006GL027775.
- Pulkkinen, T.I., Partamies, N. et al., 2007: Comparative statistical analysis of stormtime activations and sawtooth events. *J. Geophys. Res.*, 112, A01205, doi:10.1029/2006JA012024.
- Raita, T., Kultima, J., 2007: Discovery of the pearl waves by Eyvind Sucksdorff. *J. Atmos. Solar-Terr. Phys.*, 69, p. 1600-1603.
- Rodger, C.J. et al. with Verronen, P.T., Turunen, E., 2007: Storm time, short-lived bursts of relativistic electron precipitation detected by subionospheric radio wave propagation. *J. Geophys. Res.*, Vol. 112, A07301. doi:10.1029/2007JA012347
- Scoffield, H. C. et al. with Raita, T., Turunen, T., 2006: First results of artificial stimulation of the ionospheric Alfvén resonator at 78°N, *Geophys. Res. Lett.*, vol. 33, L19103, doi:10.1029/2006GL027384.
- Shalimov, S.L., Bösinger, T. 2006: An alternative explanation for the ultra-slow tail of sprite-associated lightning discharges. *J. Atmos. Sol.-Terr. Phys.*, 68, 814-820.
- Snekvik, K. et al. with Juusola, L., Amm, O., 2007: Cluster observations of a field aligned current at the dawn flank of a bursty bulk flow. *Ann. Geophys.*, 25, 1405-1415, 2007.
- Titova, E. E. et al. with Manninen, J., Turunen, T., 2007: Ground-based observations at L~6 of multi-band structures in VLF hiss, *Geophys. Res. Lett.*, 34, L02112, Doi: 10.1029/2006GL028482.
- Toivanen, P.K., 2007: Deformation method for electromagnetic magnetospheric fields: 1. Theory. *J. Geophys. Res.*, 112, A06239, doi:10.1029/2006JA011814.
- Toivanen, P.K., 2007: Deformation method for electromagnetic magnetospheric fields: 2. Application to the Earth's magnetosphere. *J. Geophys. Res.*, 112, A07216, doi:10.1029/2006JA011815.
- Trivedi, N.B. et al. with Pirjola, R., Viljanen, A., 2007: Geomagnetically induced currents in an electric power transmission system at low latitudes in Brazil: A case study. *Space Weather*, 5, S04004, doi:10.1029/2006SW000282.
- Ulich, Th. et al., 2006: Unravelling Signs of Global Chance in the Ionosphere, in "Space Weather - Research Towards Applications in Europe", ed. J. Liliensten, *Astrophys. Space Sci. Library*, Springer, 344, 95-105.
- Uspensky, M.V. et al., 2006: STARE velocity at large flow angles: is it related to ion acoustic speed? *Ann. Geophys.*, 24, 873-885.
- Vallat, C., Ganushkina, N. et al., 2007: Ion multi-nose structures observed by Cluster in the inner Magnetosphere. *Ann. Geophys.*, 25, 1, 171-190.
- Vanhämäki, H., Amm, O., Viljanen, A., 2006: New Method for Solving Inductive Electric Fields in the Ionosphere. *Ann. Geophys.*, 24, 2573-2582.
- Vanhämäki, H., Amm, O., 2007: A new method to estimate ionospheric electric fields and currents using data from a local ground magnetometer network. *Ann. Geophys.*, 25, 1141.
- Vanhämäki, H., Amm, O., Viljanen, A., 2007: Role of inductive electric fields and currents in dynamical ionospheric situations. *Ann. Geophys.*, 25, 437-455.
- Viljanen, A., Pulkkinen, A., Pirjola, R., Pajunpää, K., Posio, P., Koistinen, A., 2006: Recordings of geomagnetically induced currents and a nowcasting service of the

- Finnish natural gas pipeline system. Space Weather, 4, S10004, doi:10.1029/2006SW000234.
- Viljanen, A., Tanskanen, E.I., Pulkkinen, A., 2006: Relation between substorm characteristics and rapid temporal variations of the ground magnetic field. Ann. Geophys., 24, 725-733.
- Verronen, P.T., Ulich, Th., Turunen, E., Rodger, C.J., 2006: Sunset transition of negative charge in the D-region ionosphere during high-ionization conditions. Ann. Geophys., 24, 187-202.
- Voiculescu, M., Aikio, A.T., Nygrén, T., Ruohoniemi, J.M., 2006: IMF effect on sporadic-E layers at two northern polar cap sites: Part I - Statistical study. Ann. Geophys., 24, No. 3, 887-900.
- Voiculescu, M., Virtanen, I., Nygrén, T., 2006: The F-region trough: seasonal morphology and relation to interplanetary magnetic field. Ann. Geophys., 24, No. 1, 173-185.
- Voiculescu, M., Nygrén, T., 2007: IMF effect on ionospheric trough occurrence at equinoxes, Adv. Space Res. 40, 1935-1940.
- Yordanova, E. et al. with Amm, O., 2007: Energy input from the exterior cusp into the ionosphere: Correlated ground-based and satellite observations. Geophys. Res. Lett., 34, L04102, doi:10.1029/2006GL028617.
- Zelenyi, L.M. et al with Ganushkina, 2006: "Matreshka" model of multilayered current sheet. Geophys. Res. Lett., vol. 33, L05105, doi: 10.1029/2005GL025117.
- Zong, Q.-G. et al. with Amm, O., 2007: Earthward flowing plasmoid: Structure and its related ionospheric signature. J. Geophys. Res., 112, A07203, doi: 10.1029/2006JA012112, 2007.

Solar System Scienccce

- Aittola, M., Raitala, J., 2007: Venusian Novae (Astra): Classification and Associations to Different Volcano-tectonic Geological Environments. Solar Syst. Res., 41, 395-412.
- Aittola M., Öhman, T., Leitner J. J., Raitala, J., 2007: The Characteristics of Polygonal Impact Craters on Venus. Earth, Moon, and Planets, 101, 1-2, 41-53.
- Alanko-Huotari, K., Mursula, K., Usoskin, I.G., Kovaltsov, G.A., 2006: Global heliospheric parameters and cosmic-ray modulation: an empirical relation for the last decades. Solar Phys., 238, 391-404.
- Alanko-Huotari, K., Usoskin, I. G., Mursula, K., Kovaltsov, G. A., 2007: Stochastic simulation of cosmic ray modulation including a wavy heliospheric current sheet, J. Geophys. Res., 112, A08101, doi:10.1029/2007JA012280.
- Alanko-Huotari, K., Usoskin, I. G., Mursula, K., Kovaltsov, G. A., 2007: Cyclic variations of the heliospheric tilt angle and cosmic ray modulation. Adv. Space Res., 40, 1064-1069.
- Al-Sawad, A., Torsti, J., Kocharov, L., Huttunen-Heikinmaa, K. 2006: A search for two-component energetic proton events observed on board SOHO. J. Geophys. Res., 111, No. A10, A10S90.

- The AMS collaboration (with Eronen, T., Laitinen, T., Riihonen, E., Torsti, J., Valtonen, E.), 2007: Cosmic-ray positron fraction measurement from 1 to 30 GeV with AMS-01. *Phys. Lett. B* Vol. 646, 145-154.
- Bagnulo, S. et al. with Muinonen, K., 2006: Exploring the surface structure of transneptunian objects and Centaurs with polarimetric FORS1/VLT observations. *Astron. Astrophys.*, 450, 1239-1248.
- Barabash, S. et al. with Koskinen, H.E.J., Kallio, E., Riihelä, P., Säles, T., Schmidt, W., 2007: The loss of ions from Venus through the plasma wake. *Nature*, 450, 650-653.
- Barabash, S. et al. with Kallio, E., Koskinen, H., Riihelä, P., Schmidt, W., Säles, T., 2007: The Analyzer of Space Plasmas and Energetic Atoms (ASPERA-3) for the Mars Express Mission. *Space Sci Rev*, 126, 113-164.
- Barabash, S. et al. with Koskinen, H.E.J., Kallio, E., Säles, T., Riihelä, P., 2007: The Analyser of Space Plasmas and Energetic Atoms (ASPERA-4) for the Venus Express mission. *Planet. Space Sci.*, 55, 1772-1792.
- Basilevsky, A. T. et al. with Raitala, J., 2006: Search for causes of the low epithermal neutron flux anomaly in the Arabia Terra region (Mars), *Solar Syst. Res.*, 40, 5, 355-374.
- Basilevsky, A.T. et al. with Aittola, M., Raitala, J., 2007: Landing on Venus: Past and future, *Planet. Space Sci.*, 55, 2097-2112.
- Bibring, J.-P. et al. with the Philae Project Office and the Entire Philae Team, 2007: The Rosetta Lander (Philae) Investigations. *Space Sci Rev*, 128, 205-220
- Blomberg, L.G. et al. with Kallio, E., Mursula, K., 2006: MEFISTO - An electric field instrument for BepiColombo/MMO. *Adv. Space Res.*, 38, No. 4, 672-679.
- Bösinger, T. et al., 2006: Is there a unique signature in the ULF response to sprite-associated lightning flashes? *J. Geophys. Res. A*, 111, A10310.
- Brinkfieldt, K. et al. Kallio, E., Koskinen, H., Säles, T., Riihelä, P., Schmidt, 2006: First ENA observations at Mars: Solar-wind ENAs on the nightside. *Icarus*, Volume 182, 2, 439-447.
- Carlsson, E. et al. Kallio, E., Koskinen, H., Säles, T., Riihelä, P., Schmidt, 2006: Mass composition of the escaping plasma at Mars in the energy range of 0.6-2 keV. *Icarus*, 182, 2, 320-328.
- Cellino, A. et al. with Muinonen, 2006: The strange polarimetric behaviour of asteroid (234) Barbara. *Icarus* 180, 565-567.
- Cellino, A. et al. with Muinonen, K., Virtanen, J., 2006: NERO: General concept of a Near-Earth object Radiometric Observatory. *Adv. Space Res.*, 37, 153-160.
- Clilverd, M. A. et al. with Ulich, Th., 2006: Predicting Solar Cycle 24 and beyond, *Space Weather*, 4, S09005, doi:10.1029/2005SW000207.
- Culhane, J. L., Pohjolainen, S. et al., 2007: Study of CME transit speeds for the event of 07-NOV-2004. *Adv. Space Res.*, 40, 1807-1814.
- Damtie, B., Bösinger, T., Usoskin, I., 2006: Establishing a cosmic ray station and other space research facilities in Ethiopia, *African Skies* , No. 10.
- Dogan, A. et al. with Vainio, R., 2006: Density fluctuations and polarization features of magnetohydrodynamic waves, *J. Plasma Phys.* 72, 419-427
- Dubinin, E. et al. with Kallio, E., Säles, T., Riihelä, P., Schmidt, W., Koskinen, H.E.J., 2006: Electric fields within the Martian magnetosphere and Ion Extraction. Aspera-3 Observations. *Icarus*, 182, 2, 337-342.

- Dubinin, E. et al. with Koskinen, H., Kallio, E., Riihelä, P., Schmidt, W., Säles, 2006: Solar wind plasma protrusion into the martian magnetosphere: ASPERA-3 observations. *Icarus*, 182, 2, 343-349.
- Durech, J., Kaasalainen, M. et al., 2007: Physical models of ten asteroids from an observers' collaboration network. *Astron. Astrophys.*, 465, 331.
- Elbra, T. et al. with Pesonen, L. J., 2007: Petrophysical and paleomagnetic data of drill cores from the Bosumtwi Impact structure, Ghana. *Meteorit. Planet. Sci.*, 42, 829-838.
- Engrand, C. et al. with Silén, J., 2006: Chemometric evaluation of time-of-flight secondary ion mass spectrometry data of minerals in the frame of future in situ analysis of cometary material by COSIMA onboard ROSETTA. *Rapid Comm. in Mass Spectrometry*, 20, 1361-1368.
- Enqvist, T., Joutsenvaara, J., Jämsen, T., Keränen, P., Kuusiniemi, P., Lehtola, M., Mattila, A., Narkilahti, J., Peltoniemi, J., Pennanen, A., Räihä, T., Sarkamo, J., Trzaska, W., Usoskin, I., Vaittinen, M., Zhang, Z., 2007: Underground cosmic-ray experiment EMMA, *Nucl. Phys. B (Proc. Suppl.)*, 165, 349-354.
- Eriksson, A.I. et al. with Mälkki, A. and The LAP Team, 2007: RPC-LAP: The Rosetta Langmuir Probe Instrument. *Space Sci. Rev.*, 128, 729-744.
- Fedorov, A. et al. with Kallio, E., Koskinen, H., Säles, T., Riihelä, P., Schmidt, W., 2006: Structure of the martian wake. *Icarus*, 182, 2, 329-336.
- Foing, B.H. et al. with Huovelin, J., Mälkki, A., Schmidt, W., 2006: SMART-1 mission to the Moon: Status, first results and goals. *Adv. Space Res.*, 37, 613.
- Forbes, T. G. et al. with R. Vainio, 2006: CME theory and models, *Space Sci Rev* 123, 251-302.
- Frahm, R.A. et al. with Kallio, E., Säles, T., Riihelä, P., Schmidt, W., Koskinen, H., 2006: Carbon Dioxide Photoelectron Peaks at Mars. *Icarus*, 182, 2, 371-382.
- Frahm, R.A. et al. with Kallio, E., 2007: Locations of Atmospheric Photoelectron Energy Peaks Within the Mars Environment. *Space Sci Rev*, 126, 389-402.
- Fränz, M. et al. with Kallio, E., Säles, T., Riihelä, P., Schmidt, W., Koskinen, H.E.J., 2006: Plasma Intrusion above Mars Crustal Fields - Mars Express ASPERA-3 Observations. *Icarus*, 182, 2, 406-412.
- French, R. G. et al. with Salo, H., 2007: Saturn's rings at true opposition, *Publ. Astron. Soc. Pac.*, 119, 623-642.
- French, R. G., Salo, H. et al., 2007: HST observations of azimuthal asymmetry in Saturn's rings, *Icarus*, 189, 493-522.
- Futaana, Y. et al. with Kallio, E., Koskinen, H., Säles, T., Riihelä, P., Schmidt, W., 2006: First ENA observations at Mars: Subsolar ENA jet. *Icarus*, 182, 2, 413-423.
- Futaana, Y. et al. with Kallio, E., Säles, T., Riihelä, P., Schmidt, W., Koskinen, H., 2006: First ENA observations at Mars: ENA emissions from the martian upper atmosphere. *Icarus*, 182, 2, 424-430.
- Gopalswamy, N., Mewaldt, R., Torsti, J. 2006: Solar Eruptions and Energetic Particles: An introduction. In *Solar Eruptions and Energetic Particles*, Geophys. Monogr. Ser., Vol. 165, eds. N. Gopalswamy, R. Mewaldt, and, J. Torsti, AGU, 1-5.
- Grande, M. et al. with Huovelin, J., Alha, L., 2007: The D-CIXS X-ray spectrometer on the SMART-1 mission to the Moon First results. *Planet. Space Sci.*, 494-502.

- Granvik, M., Muinonen, K., et al., 2007: Linking large-parallax Spitzer–CFHT–VLT astrometry of asteroids. *Icarus* 192, 475–490.
- Gunell, H. et al. with Kallio, E., Säles, T., Riihelä, P., Schmidt, W., Koskinen, H., 2006: First ENA observations at Mars: Charge exchange ENAs produced in the magnetosheath. *Icarus*, 182, 2, 431-438.
- Gunell, H., Kallio, E., Järvinen, R., Janhunen, P., et al., 2007: Simulations of solar wind charge exchange X-ray emission at Venus. *Geophys. Res. Lett.*, 34, L03107, doi:10.1029/2006GL028602.
- Hartle, R.E. et al. with Vilppola, J.T., 2006: Initial interpretation of Titan plasma interaction as observed by the Cassini plasma spectrometer: Comparisons with Voyager 1. *Planet. Space Sci.*, 54, 1211-1224.
- Hedman, M. M. et al. with Salo, H., 2007: Self-gravity wake structures in Saturn's A ring revealed by Cassini VIMS. *Astronomical J.*, 133, 2624-2629.
- Hiltula, T., Mursula, K., 2006: Long dance of the bashful ballerina. *Geophys. Res. Lett.*, 33, No. 3, L03105-1-4.
- Hiltula, T., Mursula, K., 2007: HMF sectors since 1926: Comparison of two ground-based data sets. *Adv. Space Res.*, 40, 1054-1059.
- Janhunen, P., Kaartokallio, H., Oksanen, I., Lehto, K., Lehto, H., 2007: Biological feedbacks as cause and demise of Neoproterozoic icehouse: astrobiological prospects for faster evolution and importance of cold conditions. *PLoS One*, 2(2): e214. doi:10.1371/journal.pone.0000214.
- Josset, J.-L. et al. with Muinonen, K., 2006: Science objectives and first results from the SMART-1/AMIE multicolour micro-camera. *Adv. Space Res.* 37, 14-20.
- Kaasalainen, M. et al., 2007: Acceleration of the rotation of asteroid 1862 Apollo by radiation torques. *Nature*, 446, 420-422.
- Kallio, E. et al. with Säles, T., Janhunen, P., Schmidt, W., Koskinen, H., Riihelä, P., 2006: Ion escape at Mars: Comparison of 3D hybrid simulations with Mars Express ASPERA 3 measurements. *Icarus*, 182, 2, 350-359.
- Kallio, E., Järvinen, R., Janhunen, P., 2006: Venus-Solar Wind Interaction: Asymmetries and the Escape of O+ Ions. *Planet. Space Sci.*, 54, 1472-1481.
- Kallio, E. et al. with Janhunen, P., Koskinen, H., Schmidt, W., 2007: Energisation of O+ and O+2 Ions at Mars: An Analysis of a 3-D Quasi-Neutral Hybrid Model Simulation. *Space Sci Rev*, 126, 39-62.
- Kallio, E., Sillanpää, I., Järvinen, R., Janhunen, P., et al., 2007: Morphology of the magnetic field near Titan: Hybrid model study of the Cassini T9 flyby. *Geophys. Res. Lett.*, 34, L24S09, doi:10.1029/2007GL030827.
- Karjalainen, R., 2007: Aggregate impacts in Saturn's rings. *Icarus*, 189, 523-537.
- Khodachenko, M.L. et al. with Urpo, S., 2006: Microwave Diagnostics of Dynamic Processes and Oscillations in Groups of Solar Coronal Magnetic Loops. *Space Sci. Rev.*, 122, 137-148.
- Kislyakov, A.G. et al. with Urpo, S., 2006.: On the possible connection between photospheric 5-min oscillation and solar flare microwave emission. *Solar Phys.*, 233, 89-106.
- Kissel, J. et al. with Rynö, J., Silén, J., 2007: Cosima-High Resolution Time-of-Flight Secondary Ion Mass Spectrometer for the Analysis of Cometary Dust Particles onboard Rosetta. *Space Sci. Rev.*, 128, 823-867.

- Kletetschka, G. et al. with Kohout, T., 2006, TRM in low magnetic fields: a minimum field that can be recorded by large multidomain grains. *Phys. Earth Planet.*, 154, 290-298.
- Kocharov, L. 2006: Modelling the energy-dependent charge states of solar energetic particles. In *Solar Eruptions and Energetic Particles*, Geophys. Monogr. Ser., Vol. 165, eds. N. Gopalswamy, R. Mewaldt, and, J. Torsti, AGU, 137-145.
- Kocharov, L., Saloniemi, O., Torsti, J., Kovaltsov, G., and Riihonen, E. 2007: Scanning an interplanetary magnetic cloud using high-energy protons. *Astrophys. J.*, 654, 1121-1127.
- Kocharov, L., Saloniemi, O., Torsti, J., Riihonen, E., Lehti, J. et al., 2007: High-energy protons associated with liftoff of a coronal mass ejection. *Astrophys. J.* 659, 780-787.
- Kohout, T., Pesonen, L.J., and Lehtinen, M., 2007: Low-temperature magnetic properties of the Neuschwanstein EL6 meteorite. *Earth Planet. Sci. Lett.* 261, 143-151
- Kontny, A. et al. with Elbra, T., Pesonen, L.J., 2007: Petrography and shock-related remagnetization of pyrrhotite in drill cores from the Bosumtwi impact Crater Drilling Project, Ghana. *Meteorit. Planet. Sci.* 42, 811-828
- Kostama, V.-P. et al. 2006: Recent high-latitude icy mantle in the northern plains of Mars: Characteristics and ages of emplacement. *Geophys. Res. Lett.*, 33, L11201.
- Kostama, V.-P. et al. with Törmänen, T., Raitala, J., 2007: The topographic and morphologic characteristics of Reull Vallis, Mars: Implications for the history of the Reull Vallis fluvial system. *J. Geophys. Res. E*, 112, E11001.
- Laakso, T., Rantala, J., Kaasalainen, M., 2006: Gravitational scattering by giant planets. *Astron. Astrophys.* 456, 373-378.
- Lamy, P. L., et al., with Kaasalainen M., 2007: A portrait of the nucleus of comet 67P/Churyumov-Gerasimenko. *Space Sci. Rev.*, 128, 23-66.
- Leinonen, J., Mäkinen, T., Harri, A.-M., 2007: A method to determine the atmospheric temperature profile from in situ pressure data: Application to Titan. *Planet. Space Sci.*, 55, 2071-2076.
- Liemohn, M.W. et al. with Kallio, E., Koskinen, H., Säles, T., Riihelä, P., Schmidt, W., 2006: Numerical interpretation of high-altitude photoelectron observations. *Icarus*, 182, 2, 383-395.
- Lisse, C.M. et al. with Mäkinen, T., 2007: Chandra Observations of Comet 9P/Tempel 1 During the Deep Impact Campaign. *Icarus*, 190, 391-405.
- Lundin, R. et al. with Kallio, E., Säles, T., Riihelä, P., Schmidt, W., Koskinen, H., 2006: Ionospheric Plasma Acceleration at Mars: ASPERA3 results. *Icarus*, Volume 182, 2, 308-319.
- Lundin, R. et al. with Koskinen, H., Kallio, 2006: Plasma Acceleration Above Martian Magnetic Anomalies. *Science*, 311, 980-983.
- Lundin, R. et al. with Koskinen, H., Kallio, 2007: Auroral Plasma Acceleration Above Martian Magnetic Anomalies. *Space Sci Rev*, 126, 333-354.
- Määttänen, A., Vehkamäki, H., Lauri, A., Napari, I., Kulmala, M., 2007: Two-component heterogeneous nucleation kinetics and an application to Mars. *J. Chem. Phys.*, 127, 134710.

- Mäkinen, J.T.T., Harri, A.-M., Tokano, T., Savijärvi, H., Siili, T., Ferri, F., 2006: Vertical Atmospheric Flow on Titan as Measured by the HASI Instrument on Board the Huygens Probe. *Geophys. Res. Lett.*, 33, L21803, doi:10.1029/2006GL026982.
- Mäkinen, J.T.T. et al. with Schmidt, W., 2007: SWAN observations of 9P/Tempel 1 around the Deep Impact event. *Icarus*, 187, 109-112.
- Marchis F., Kaasalainen, M. et al., 2006: Shape, size and multiplicity of main-belt asteroids – I. Keck Adaptive Optics survey, *Icarus*, 185, 39-63.
- Marciniak, A. et al. with Kaasalainen, M., 2007: Photometry and models of selected main belt asteroids – IV. 184 Dejopeja, 276 Adelheid, 556 Phyllis. *Astron. Astrophys.*, 473, 633-639.
- Marciniak, A. et al. with Kaasalainen, M., 2007: Photometry and models of selected main belt asteroids – V. 73 Klytia, 377 Campania, and 378 Holmia. *Astron. Astrophys.*, 478, 559-565.
- Michalowski, T., Kaasalainen, M. et al., 2006: Photometry and models of selected main belt asteroids III. 283 Emma, 665 Sabine, and 690 Wratislavia. *Astron. Astrophys.*, 459, 663-668.
- Mikkola, S. et al., 2006: Stability limits for the quasi-satellite orbit, *Mon. Not. R. Astron. Soc.*, 369, 15-24.
- Mikkola, S., Tanikawa, K., 2007: Correlation of macroscopic instability and Lyapunov times in the general three-body problem. *Mon. Not. R. Astron. Soc.: Letters*, 379, L21-L24.
- Morishima, R., Salo, H., 2006: Simulations of dense planetary rings IV. Spinning self-gravitating particles with size distribution, *Icarus*, 181, 1, 272-291.
- Muinonen, K., Zubko, E., 2006: Optimizing the discrete-dipole approximation for identically shaped scatterers with differing sizes or refractive indices. *J. Quant. Spectr. Rad. Trans.*, 100, 288-294.
- Muinonen, K., Virtanen, J., Granvik, M., Laakso, T., 2006: Asteroid orbits using phase-space volumes of variation. *Mon. Not. R. Astron. Soc.*, 368, 809-818.
- Muinonen, K., et al., with Tyynelä, J., 2007: Light scattering by Gaussian random particles with discrete-dipole approximation. *J. Quant. Spectr. Rad. Trans.*, 106, 360-377.
- Muñoz, O. et al. with Nousiainen, T., Muinonen, K., 2007: Scattering matrix of large Saharan dust particles: Experiments and computations. *J. Geophys. Res.*, 112, D13215.
- Mursula, K., 2007: Bashful ballerina: The asymmetric Sun viewed from the heliosphere, *Adv. Space Res.*, 40, 1034-1041.
- Neugebauer, M. et al. with Mäkinen, T., 2007: Encounter of the Ulysses Spacecraft with the Ion Tail of Comet MCNaught. *Astrophys. J.*, 667, 1262-1266.
- Nilsson, H. et al with Koskinen, H., Kallio, E., Riihelä, P., 2007: RPC-ICA: The Ion Composition Analyzer of the Rosetta Plasma Consortium. *Space Sci. Rev.*, 128, 671-695.
- Nousiainen, T., Muinonen, K., 2007: Surface-roughness effects on single-scattering properties of wavelength-scale particles. *J. Quant. Spectr. Rad. Trans.*, 106, 389-397.
- Öhman, T., Aittola, M., Kostama, V.-P., Hyvärinen, A., Raitala, J., 2006: Polygonal impact craters in the Argyre region, Mars: Evidence for influence of target structure on the final crater morphology, *Meteorit. Planet. Sci.*, 41, 8, 1163-1173.

- Parviainen, H., Muinonen, K., 2007: Rough-surface shadowing of self-affine random rough surfaces. *J. Quant. Spectr. Rad. Trans.*, 106, 398-416.
- Penttilä, A. et al. with Lumme, K., Muinonen, K., Rahola, J., 2007: Comparison between discrete dipole implementations and exact techniques. *J. Quant. Spectr. Rad. Trans.*, 106, 417-436.
- Pick, M. et al. with Vainio, R., 2006: Multi-wavelength observations of CMEs and associated phenomena. *Space Sci. Rev.*, 123, 341-382.
- Pohjolainen, S., Lehtinen, N. J., 2006: Slow halo CMEs with shock signatures, *Astronomy and Astrophysics*, 449, 359-367.
- Pohjolainen, S., et al., 2007: CME Propagation Characteristics from Radio Observations, *Solar Physics*. 244, 167-188.
- Quémérais, E. et al. with Kyrölä, E., Schmidt, W., 2006: Interplanetary Lyman alpha line profiles: variations with solar activity cycle. *Astron. Astrophys.*, 455, 3, 1135-1142.
- Quémérais, E. et al. with Kyrölä, E., Schmidt, W., 2006: Interplanetary hydrogen absolute ionization rates: Retrieving the solar wind mass flux latitude and cycle dependence with SWAN/SOHO maps. *J. Geophys. Res.*, 111, A09114.
- Rodger, C.J. et al. with Verronen, P.T., Ulich, Th., Turunen, E., 2006: Dynamic geomagnetic rigidity cutoff variations during a solar proton event. *J. Geophys. Res.*, 111, A04222, doi:10.1029/2005JA011395.
- Salminen, J., Donadini, F., Pesonen, L. J. et al., 2006: Paleomagnetism and petrophysics of the Jänisjärvi impact structure, Russian Karelia. *Meteorit. Planet. Sci.*, 41, 1853-1870.
- Sandroos, A., Vainio, R., 2006: Particle acceleration at shocks propagating in inhomogeneous magnetic fields. *Astron. Astrophys.*, 455, 685-695.
- Sandroos, A., Vainio, R., 2007: Simulation results for heavy ion spectral variability in large gradual solar energetic particle events. *Astrophys. J.* 662, L127-L130.
- Schell, C., Schleifer, N., Elbra, T., 2007: Characterization of the log lithology of cores LB-07A and LB-08A of the Bosumtwi impact structure by using the anisotropy of magnetic susceptibility. *Meteorit. Planet. Sci.*, 42, 839-848
- Seidensticker, K.J. et al. with Schmidt, W., 2007: SESAME - An Experiment of the Rosetta Lander Philae: Objectives and General Design. *Space Sci. Rev.*, 128, 301-337.
- Sillanpää, I., Kallio, E., Janhunen, P., Schmidt, W., Mursula, K., Vilppola, J., Tanskanen, P., 2006: Hybrid simulation study of ion escape at Titan for different orbital positions, *Adv. Space Res.*, 38(4), 799-805.
- Sillanpää, I., Kallio, E., Järvinen, R., Janhunen, P., 2007: Oxygen Ions at Titan's Exobase in a Voyager 1 Type Interaction from a Hybrid Simulation. *J. Geophys. Res.*, 112, A12205, doi:10.1029/2007JA012348.
- Soobiah, Y. et al. with Kallio, E., Koskinen, H., Säles, T., Riihelä, P., Schmidt, W., 2006: Observations of magnetic anomaly signatures in Mars Express ASPERA-3 ELS data. *Icarus*, 182, 2, 396-405.
- Sremcevic M. et al., with Salo H., 2007: A moonlet belt in Saturn's A ring. *Nature*, 449, 1019-1021.
- Starodubtsev, S. A., Usoskin, I. G., Grigoryev A.V., Mursula, K., 2006: Long-term modulation of the cosmic ray fluctuation spectrum. *Ann. Geophys.*, 24, 779-783.

- Starodubtsev, S. A. et al., with Usoskin, I. G. and Mursula, K., 2007: Fluctuations of cosmic rays and interplanetary magnetic field in the vicinity of interplanetary shock fronts. *Bull. Russian Acad. Sci: Physics*, 71, 7, 991-993.
- Tammi, J., Vainio, R., 2006: Turbulence transmission in parallel relativistic shocks using ray tracing. *Astron. Astrophys.*, 460, 23-28.
- Tokano, T. et al. with Mäkinen, T., 2006: Titan's Planetary Boundary Layer Structure at the Huygens Landing Site. *J. Geophys. Res.*, 111, E08007.
- Torsti, J., Mäkelä, P., Riihonen, E., Saloniemi, O., 2006: Great storm particle event on 2000 August 11 observed by SOHO ERNE. *Astrophys. J.*, 638:530-538.
- Tyynelä, J. et al. with Muinonen, K., 2007: Interrelating angular scattering characteristics to internal electric fields for wavelength-scale spherical particles. *J. Quant. Spectr. Rad. Trans.*, 106, 520-534.
- Ugalde, H. et al. with Pesonen, L. J., 2007: The Lake Bosumtwi meteorite impact structure, Ghana - Where is the magnetic source? *Meteorit. Planet. Sci.* 42, 867-882
- Usoskin, I. G., Kovaltsov, G.A., 2006: Cosmic ray induced ionization in the atmosphere: Full modeling and practical applications. *J. Geophys. Res.*, vol. 111, D21206, doi:10.1029/2006JD007150.
- Usoskin, I. G., Solanki S. K. and Korte, M., 2006: Solar activity reconstructed over the last 7000 years: The influence of geomagnetic field changes. *Geophys. Res. Lett.*, 33(8), L08103.
- Usoskin, I. G. et al., 2006: Solar proton events in cosmogenic isotope data. *Geophys. Res. Lett.*, 33(8), L08107.
- Usoskin, I. G., Berdyugina, S. V. et al., 2007 Long-term persistence of solar active longitudes and its implications for the solar dynamo theory. *Adv. Space Res.*, 40, 951-958
- Usoskin, I. G., Berdyugina, S. V., Poutanen, J., 2007: Erratum: (1) Preferred longitudes in sunspot activity (2) Preferred sunspot longitudes: non-axisymmetry and differential rotation. *Astron. Astrophys.*, 464, 761.
- Usoskin, I. G. et al., 2007, Grand minima and maxima of solar activity: new observational constraints. *Astron. Astrophys.*, 471, 301-309.
- Väänänen, M., Pohjolainen, S., 2007: Spatial Size and Plasma Variables of RHESSI Flares. *Solar Phys.* 241, 279-299.
- Vainio, R., 2006: Acceleration of SEPs: Role of CME-associated shocks and turbulence, In: *Solar Eruptions and Energetic Particles*, Eds. N. Gopalswamy, R. Mewaldt and J. Torsti, *Geophysical Monograph Series* 165, AGU, 253-262.
- Vainio, R., Laitinen, T., 2007: Monte Carlo simulations of coronal diffusive shock acceleration in self-generated turbulence. *Astrophys. J.*, 658, 622-630
- Vainio, R., Laitinen, T., Turbulence transport and shock acceleration in solar corona, In: D Saikh and G Zank (eds.), 2007: *Turbulence and Nonlinear Processes in Astrophysical Plasmas*, AIP Conference Proceedings, 932, 350-355
- Vainio, R. et al., 2007: Modeling of Solar Energetic Particles in Interplanetary Space, In: J Liliensten (ed.): *Space Weather. Research Towards Applications in Europe. Astrophysics and Space Science Library*, Vol. 344, Springer, Dordrecht, 27-37.
- Valtonen, E. 2006: Geoeffective coronal mass ejections and energetic particles. In *Solar Eruptions and Energetic Particles*, *Geophysical Monograph Series*, Vol. 165, eds. N. Gopalswamy, R. Mewaldt, and, J. Torsti, AGU, 335-344.

- Vehkämäki, H., Määttänen, A., Lauri, A., Kulmala, M., Winkler, P., Virtala, A., Wagner, P.E., 2007: Heterogeneous multicomponent nucleation theorems for the analysis of nanoclusters. *J. Chem. Phys.*, 126, 174707.
- Vehkämäki, H., Määttänen, A., Lauri, A., Napari, I. and Kulmala, M., 2007: Technical note: The heterogeneous Zeldovich factor. *Atmospheric Chemistry and Physics*, 7, 309-313.
- Vishnevsky, S.A. et al. with Raitala, J., Öhman, T., 2006: Impact tuffisites of the Popigai astrobleme. *Russian Geology and Geophysics*, 47, 6, 715-733.
- Virtanen, J., Muinonen, K., 2006: Time evolution of orbital uncertainties for impactor candidate 2004 AS1. *Icarus* 184, 289-301.
- Williams, D.A. et al. with Raitala, J., and the HRSC Co-Investigator Team: Hadriaca Patera: Insights into its volcanic history from Mars Express HRSC. *J. Geophys. Res.* E, 112, E10004, 2007
- Winningham, J.D. et al. with Kallio, E., Koskinen, H., Säles, T., Riihelä, P., Schmidt, W., 2006: Electron Oscillations in the Induced Martian Magnetosphere. *Icarus*, 182, 2, 360-370.
- Witasse, O. et al. with Mujunen, A., Ritakari, J., 2006: Overview of the coordinated ground-based observations of Titan during the Huygens mission. *J. Geophys. Research – Planets*, Vol. 111, 2006.
- Yamauchi, M., et al. with Koskinen, H., Kallio, E., 2007: IMF Direction Derived from Cycloid-Like Ion Distributions Observed by Mars Express. *Space Sci Rev*, 126, 239-266.
- Zubko, E. et al. with Muinonen, K., 2006: Collective effects by agglomerated debris particles in the backscatter. *J. Quant. Spectr. Rad. Trans.*, 100, 489-495.
- Zubko, E., et al., with Muinonen, K., Nousiainen, T., 2007: Scattering of light by roughened Gaussian random particles. *J. Quant. Spectr. Rad. Trans.*, 106, 604-615.

Astronomy and Cosmology

- Afram, N., Berdyugina, S. V. et al., 2007: First polarimetric observations and modeling of the FeH F4Δ-X4Δ system. *Astron. Astrophys.*, 473, L1-L4.
- Aguilar, M., et al. with Eronen, T., Karlamaa, K., Laitinen, T., Mujunen, A., Riihonen, E., Ritakari, J., Tornikoski, M., Torsti, J., Urpo, S., Valtonen, E., 2007: Cosmic-ray positron fraction measurement from 1 to 30 GeV with AMS-01. *Phys. Lett. B*, 646, 145-154.
- Albert, J. et al. with Lindfors, E., Nilsson, K., Pasanen, M., Sillanpää, A., Takalo, L., 2007: Constraints on the Steady and Pulsed Very High Energy Gamma-Ray Emission from Observations of PSR B1951+32/CTB 80 with the MAGIC Telescope. *Astrophys. J.*, 669, 1143-1149.
- Albert, J. et al. with Lindfors, E., Nilsson, K., Pasanen, M., Sillanpää, A., Takalo, L., 2007: Variable Very High Energy γ -Ray Emission from Markarian 501. *Astrophys. J.*, 669, 862-883.
- Albert, J. et al. with Lindfors, E., Nilsson, K., Pasanen, M., Sillanpää, A., Takalo, L., 2007: Observation of VHE γ -rays from Cassiopeia A with the MAGIC telescope. *Astron. and Astrophys.*, 474, 937-940.

- Albert, J. et al. with Lindfors, E., Nilsson, K., Pasanen, M., Sillanpää, A., Takalo, L., 2007: Discovery of Very High Energy γ -Rays from 1ES 1011+496 at $z = 0.212$. *Astrophys. J.*, 667, L21-L24.
- Albert, J. et al. with Lindfors, E., Nilsson, K., Pasanen, M., Sillanpää, A., Takalo, L., 2007: MAGIC Upper Limits on the Very High Energy Emission from Gamma-Ray Bursts. *Astrophys. J.*, 667, 358-366.
- Albert, J. et al. with Lindfors, E., Nilsson, K., Pasanen, M., Sillanpää, A., Takalo, L., 2007: Discovery of Very High Energy γ -Ray Emission from the Low-Frequency-peaked BL Lacertae Object BL Lacertae. *Astrophys. J.*, 666, L17-L20.
- Albert, J. et al. with Lindfors, E., Nilsson, K., Pasanen, M., Sillanpää, A., Takalo, L., 2007: Very High Energy Gamma-Ray Radiation from the Stellar Mass Black Hole Binary Cygnus X-1. *Astrophys. J.*, 665, L51-L54.
- Albert, J. et al. with Lindfors, E., Nilsson, K., Pasanen, M., Sillanpää, A., Takalo, L., 2007: Discovery of Very High Energy Gamma Radiation from IC 443 with the MAGIC Telescope. *Astrophys. J.*, 664, L87-L90.
- Albert, J. et al. with Lindfors, E., Nilsson, K., Pasanen, M., Sillanpää, A., Takalo, L., 2007: Observations of Markarian 421 with the MAGIC Telescope. *Astrophys. J.*, 663, 125-138.
- Albert, J. et al. with Lindfors, E., Nilsson, K., Pasanen, M., Sillanpää, A., Takalo, L., 2007: Observation of Very High Energy γ -Rays from the AGN 1ES 2344+514 in a Low Emission State with the MAGIC Telescope. *Astrophys. J.*, 662, 892-899.
- Albert, J. et al. with Lindfors, E., Nilsson, K., Pasanen, M., Sillanpää, A., Takalo, L., 2007: First Bounds on the Very High Energy γ -Ray Emission from Arp 220. *Astrophys. J.*, 658, 245-248.
- Albert, J. et al. with Lindfors, E., Nilsson, K., Pasanen, M., Sillanpää, A., Takalo, L., 2007: Detection of Very High Energy Radiation from the BL Lacertae Object PG 1553+113 with the MAGIC Telescope. *Astrophys. J.*, 654, L119-L122.
- Ashdown M. A. J. et al. with Keihänen, E., Kurki-Suonio, H., Poutanen, T. (The Planck CTP Working Group), 2007: Making sky maps from Planck data. *Astron. Astrophys.*, 467, 761-775.
- Ashdown M. A. J. et al. with Keihänen, E., Kurki-Suonio, H., and Poutanen, T. (The Planck CTP Working Group), 2007: Making maps from Planck LFI 30 GHz data. *Astron. Astrophys.*, 471, 361-380.
- Axelsson, M. et al. with Hjalmarsdotter, L., 2007: Measuring energy dependent polarization in soft γ -rays using Compton scattering in PoGOLite. *Astropart. Phys.*, 28, 327-337.
- Babkovskaia, N., Poutanen, J., 2006: A self-consistent model of 22 GHz water maser in dusty environment near late-type stars. *Astron. Astrophys.*, 447, 949-962.
- Babkovskaia, N., Poutanen, J. et al., 2006: A warped $m = 2$ water maser disc in V778 Cyg? *Mon. Not. R. Astron. Soc.*, 370, 1921-1927.
- Beckmann, V. et al. with Vilhu, O., 2007: Cygnus X-3 transition from the ultrasoft to the hard state. *Astron. Astrophys.*, 473, 903-905.
- Beers, T. C., Flynn, C. et al., 2007: Broadband UBVRIC Photometry of Horizontal-Branch and Metal-poor Candidates from the HK and Hamburg/ESO Surveys. I. *Astrophys. J. Suppl. Ser.*, 168, 128-139.

- Berdyugin, A. V., Berdyugina, S. V., Pirola, V., Butkevich, A. G., 2006: The Search for Polarization Variability in IM Pegasi. *Astrophys. J.*, 651, 475–480.
- Berdyugina, S. V. et al., 2006: First Polarimetric Measurements and Modeling of the Paschen-Back Effect in CaH Transitions. *Astrophys. J.*, 649, L49-L52.
- Berdyugina, S. V. et al. with Usoskin, I. G., 2006: Active longitudes, nonaxisymmetric dynamos and phase mixing. *Astron. Astrophys.*, 445, 703-714.
- Berdyugina, S. V., Berdyugin, A. V., Pirola, V., 2007: Molecular Magnetic Dichroism in Spectra of White Dwarfs. *Phys. Rev. Lett.*, 99, id091101.
- Berdyugina, S. V., 2007: Preferred longitudes in solar and stellar activity, *Memorie della Societa Astronomica Italiana*, 78, 242.
- Bodaghee, A. et al. with Hannikainen, D., 2007: A description of sources detected by INTEGRAL during the first 4 years of observations. *Astron. Astrophys.* 467, 585-596.
- Böttcher, M. et al. with Berduygin, A., Hovatta, T., Ibrahimov, M., Lähteenmäki, A., Lindfors, E., Nieppola, E., Nilsson, K., Osterman, M.A., Pasanen, M., Pursimo, T., Takalo, L.O., 2007: The WEBT Campaign on the Blazar 3C 279 in 2006. *Astrophys. J.*, 670, 968-977.
- Bonamente, M., Nevalainen, J., Lieu, R., 2007: Soft and Hard X-Ray Excess Emission in Abell 3112 Observed with Chandra. *Astrophys. J.*, 668, 796-805.
- Boyarsky, A., Nevalainen, J., Ruchayskiy, O., 2007: Constraints on the parameters of radiatively decaying dark matter from the dark matter halos of the Milky Way and Ursa Minor. *Astron. Astrophys.* 471, 51-57.
- Brandenburg, A., Lehto, H. J., Lehto, K. M., 2007: Homochirality in an Early Peptide World. *Astrobiology*, 7, 725-732.
- Buta, R., et al., with Laurikainen, E., Salo, H., 2006: Fourier Dissection of Early-Type Galaxy Bars, *Astronomical J.*, 132, 1859-1876.
- Casagrande, L., Flynn, C., Portinari, L. et al., 2007: The helium abundance and $\Delta Y/\Delta Z$ in lower main-sequence stars. *Mon. Not. R. Astron. Soc.*, 382, 1516-1540.
- Chernin, A. D. et al. with Teerikorpi, P., Valtonen, M. J., 2007: Local dark energy: HST evidence from the vicinity of the M81/M82 galaxy group. *Astrophysics*, 50, 405-415.
- Chernin, A. D. et al. with Valtonen, M. J., 2007: The very local Hubble flow: simulating the transition from chaos to order. *Astron. Astrophys.*, 467, 933-941.
- Ciprini, S. et al. with Takalo, L. O., Sillanpää, A., Valtonen, M., Hovatta, T., Ibrahimov, M. A., Lahteenmaki, A., Lindfors, E., Nieppola, E., Nilsson, K., Oksanen, A., Pasanen, M., Pursimo, T., Torniainen, I., Tornikoski, M., 2007: Prominent activity of the blazar OJ 287 in 2005. XMM-Newton and multiwavelength observations. *Memorie della Societa Astronomica Italiana*, Vol.78, p.741.
- Curran P.A. et al. with Järvinen, A. S., Näränen, J., 2007: GRB 060206 and the quandary of achromatic breaks in afterglow light curves, *Mon. Not. R. Astron. Soc.*, 381, L65-L69.
- Dettbarn, C. et a. with Flynn, C., 2007: Signatures of star streams in the phase space distribution of nearby halo stars. *Astron. Astrophys.*, 474, 857-861.
- Einasto, M. et al. with Heinämäki, P., Nurmi, P., 2007: The richest superclusters. I. Morphology, *Astron. Astrophys.*, 476, 697-711.
- Einasto, J. et al. with Heinämäki, P., 2007: Superclusters of galaxies from the 2dF redshift survey. I. The catalogue. *Astron. Astrophys.*, 462, 811-825.

- Einasto, J. et al. with Heinämäki, P., 2007: Superclusters of galaxies from the 2dF redshift survey. II. Comparison with simulations. *Astron. Astrophys.*, 462, 397-410.
- Einasto, M. et al. with Heinämäki, P., 2007: Superclusters of galaxies in the 2dF redshift survey. III. The properties of galaxies in superclusters. *Astron. Astrophys.*, 464, 815-826.
- Falanga, M. et al. with Poutanen, J., 2007: Simultaneous INTEGRAL and RXTE observations of the accreting millisecond pulsar HETE J1900.1-2455. *Astron. Astrophys.*, 464, 1069-1074.
- Ferriz Mas, A., O. Steiner, 2007: How to Reach Superequipartition Field Strengths in Solar Magnetic Flux Tubes. *Solar Phys.*, 246, 31-39.
- Fuentes-Carrera, I. et al. with Salo, H., Laurikainen, E., 2007: Kinematics and dynamics of the M51-type galaxy pair NGC 3893/96 (KPG 302). *Astron. Astrophys.*, 466, 847-854.
- Fynbo, J. P. U. et al. with Näränen, J., 2006: Probing Cosmic Chemical Evolution with Gamma-Ray Bursts: GRB060206 at $z=4.048$. *Astron. Astrophys.*, 451, L47-L50.
- Gabuzda, D. C. et al. with Rastorgueva, E. A., 2006: Evidence for cospatial optical and radio polarized emission in active galactic nuclei, *Mon. Not. R. Astron. Soc.*, 369, 1596-1602.
- Hagen-Thorn, V. A. et al. with Takalo, L. O., Sillanpää, A., 2007, Color variability of the blazar AO 0235+16. *Astronomy Reports*, 51, 882-890.
- Hannikainen, D. C. et al. with Vilhu, O., Hjalmarsdotter, L., 2006: Microquasars: What do radio and X-ray observations tell us? *Chin. J. Astron. Astrophys.* 6, 269-278.
- Hannikainen, D. C. et al. with Muhli, P., Vilhu, O., Schultz, J., 2007.: The nature of the infrared counterpart of IGR J19140+0951. *Mon. Not. R. Astron. Soc.*, 380, 665-668.
- Holmberg, J., Flynn, C., Portinari, L., 2006: The colours of the Sun. *Mon. Not. R. Astron. Soc.*, 367, 449-453.
- Holmberg, J., Nordström, B., Andersen, J., 2007: The Geneva-Copenhagen survey of the Solar neighbourhood II. New uvby calibrations and rediscussion of stellar ages, the G dwarf problem, age-metallicity diagram, and heating mechanisms of the disk. *Astron. Astrophys.*, 475, 519-537.
- Holopainen, J., Flynn, C., 2006: Microlensing in dark matter haloes, *Mon. Not. R. Astron. Soc.*, 368, 1209-1222.
- Hovatta, T., Tornikoski, M., Lainela, M., Lehto, H.J., Valtaoja, E., Torniainen, I. et al., 2007: Statistical analyses of long-term variability of AGN at high radio frequencies. *Astron. Astrophys.*, 469, 899-912.
- Hupfer, C., Käpylä, P. J., Stix, M., 2006: Reynolds stresses and meridional circulation from rotating cylinder simulations, *Astron. Astrophys.*, 459, 935-944.
- Hyvönen, T., Kotilainen, J. K., Falomo, R., Örndahl, E., Pursimo, T., 2007: The stellar content of low redshift BL Lacertae host galaxies from multicolour imaging, *Astron. Astrophys.*, 476, 723-734.
- Hyvönen, T., Kotilainen, J. K., Örndahl, E., et al., 2007: The host galaxies of radio-quiet quasars at $0.5 < z < 1.0$. *Astron. and Astrophys.*, 462, 525-533.
- Ibragimov, A., Zdziarski, A. A., Poutanen, J., 2007: Superorbital variability of X-ray and radio emission of Cyg X-1. I. Emission anisotropy of precessing sources. *Mon. Not. R. Astron. Soc.*, 381, 723-731.

- Järvinen, S. P., Berdyugina, S. V., Korhonen, H., Ilyin I., Tuominen, I., 2007: EK Draconis - Magnetic activity in the photosphere and chromosphere. *Astron. Astrophys.*, 472, 887-895.
- Käpylä, P. J., Korpi, M. J., Tuominen, I., 2006: Solar dynamo models with alpha-effect and turbulent pumping from local 3D convection calculations. *Astron. Nachr.*, 327, 9, 884-894.
- Käpylä, P. J., Korpi, M. J., Ossendrijver, M., Tuominen, I., 2006: Local models of stellar convection III. The Strouhal number. *Astron. Astrophys.*, 448, 433-438.
- Käpylä, P. J., Korpi, M. J., Ossendrijver, M., Stix, M., 2006: Magnetoconvection and dynamo coefficients III: alpha-effect and magnetic pumping in the rapid rotation regime. *Astron. Astrophys.*, 455, 401-412.
- Katajainen, S. et al. with Lehto, H. J., Piironen, V., 2007: Discovery of polarized emission from the long period intermediate polar RX J2133.7+5107. *Astron. Astrophys.*, 475, 1011-1018.
- Keskitalo, R., Kurki-Suonio, H., Muñoz, V., Välimäki, J., 2007: Hints of isocurvature perturbations in the cosmic microwave background? *JCAP* 09 008
- Koivisto, T., Kurki-Suonio, H., 2006: Cosmological perturbations in the Palatini formulation of modified gravity. *Classical Quant. Grav.*, 23, 2355-2369.
- Korhonen, H., Berdyugina, S. V., Hackman, T., Ilyin, I. V., Strassmeier, K. G., Tuominen, I., 2007: Study of FK Comae Berenices. V. Spot evolution and detection of surface differential rotation. *Astron. Astrophys.*, 476, 881-891.
- Kotilainen, J. K. et al., 2007: The Nuclear to Host Galaxy Relation of High-Redshift Quasars. *Astrophys. J.*, 660, 1039-1050.
- Lähteenmäki, A., Tornikoski, M., Hovatta, T., Valtaoja, E., 2007: Total flux density radio observations as a tool for understanding AGN behaviour. *Astrophys. Space Sci.*, 311, 347-351.
- Laine, S., Kotilainen, J. K., Reunanen, J. et al., 2006: Examining the Seyfert-Starburst Connection with Arcsecond-Resolution Radio Continuum Observations. *Astronomical J.*, 131, 701-715.
- Larsson, B. et al. with Hagström, M., Harju, J., Kyrölä, E., Liljeström, T., 2007: Molecular oxygen in the ρ Ophiuchi cloud. *Astron. Astrophys.*, 466, 999-1003.
- Laurikainen, E., Salo, H. et al., 2006: Morphology of 15 Southern Early-Type Disk Galaxies. *Astronomical J.*, 132, 2634-2652.
- Laurikainen, E., Salo, H. et al., 2007: Properties of bars and bulges in the Hubble sequence manuscript. *Mon. Not. R. Astron. Soc.*, 381, 401-417.
- Lehtinen, K., Juvela, M., Mattila, K. et al., 2007: ISO far-infrared observations of the high-latitude cloud L1642 . II. Correlated variations of far-infrared emissivity and temperature of “classical large” dust particles. *Astron. Astrophys.*, 466, 969-976.
- Leon, S. et al., with Laine, S., Kotilainen, J. K., Reunanen, J., 2007: Nuclear starburst-driven evolution of the central region in NGC 6764. *Astron. Astrophys.*, 473, 747-759.
- Lindfors, E.J. et al. with Valtaoja, Tornikoski, M., 2006: Synchrotron flaring in the jet of 3C 279. *Astron. Astrophys.*, 456, 895-903.
- Lindfors, E. J. et al. with Hannikainen, D. C., Tammi, J., Valtaoja, E., 2007: Synchrotron flaring behaviour of Cygnus X-3 during the February-March 1994 and September 2001 outbursts. *Astron. Astrophys.*, 473, 923-929.

- Nevalainen, J. et al., 2007: Revisiting the Soft X-Ray Excess Emission in Clusters of Galaxies Observed with XMM-Newton. *Astrophys. J.* 656, 733-738.
- Niemi, S.-M., Nurmi, P., Heinämäki, P., and Valtonen, M., 2007: Are the nearby groups of galaxies gravitationally bound objects? *Mon. Not. R. Astron. Soc.*, 382, 1864-1876.
- Nieppola, E., Tornikoski, M., Valtaoja, E., 2006: Spectral energy distributions of a complete sample of BL Lacertae objects. *Astron. Astrophys.*, 445, 441-450.
- Nieppola, E., Tornikoski, M., Lähteenmäki, A., Valtaoja, E., Hakala, T., Hovatta, T., Kotiranta, M., Nummila, S., Ojala, T., Parviainen, M., Ranta, M., Saloranta, P-M., Torniainen, I., Tröller, M., 2007: 37 GHz observations of a large sample of BL Lacertae objects. *Astronomical J.*, 133, 1947-1953.
- Nilsson, K., Pasanen, M., Takalo, L. O., Lindfors, E., Berdyugin, A. et al., 2007: Host galaxy subtraction of TeV candidate BL Lacertae objects. *Astron. Astrophys.*, 475, 199-207.
- Osterman, M.A. et al. with Tornikoski, M., Valtaoja, E., 2006: Multiwavelength Observations of the Extreme X-Ray-selected BL Lacertae Object PG 1553+11 (1ES 1553+113). *Astronomical J.*, 132, 873-882.
- Ostorero, L. et al. with Nilsson, K., Hovatta, T., Ibrahimov, M., Lähteenmäki, A., Lindfors, E., Pasanen, M., Sillanpää, A., Takalo, L. O., Tornikoski, M., 2006: Testing the inverse-Compton catastrophe scenario in the intra-day variable blazar S5 0716+71. *Astron. Astrophys.*, 451, 797-807.
- Paizis, A. et al. with Vilhu, O., 2006: Average hard X-ray emission from NS LMXBs: observational evidence of different spectral states in NS LMXBs. *Astron. Astrophys.* 459, 187-197.
- Paturel, G., Teerikorpi, P., 2006, The extragalactic Cepheid bias: a new test using the period-luminosity-color relation, *Astron. Astrophys.*, 452, 423-430.
- Pelkonen, V.-M., Juvela, M., Padoan, P. 2007: Simulations of polarized dust emission. *Astron. Astrophys.* 461, 551-564.
- Pérez-Torres, M. A. et al. with Mattila, S., Väistö, P., 2007: Radio Detection of Supernova 2004ip in the Circumnuclear Region of the Luminous Infrared Galaxy IRAS 18293-3413. *Astrophys. J.*, 671, L21-L24.
- Pian, E. et al. with Pursimo, T., Tornikoski, 2006: INTEGRAL observations of the blazar 3C 454.3 in outburst. *Astron. Astrophys.*, 449, L21-L25.
- Popov, S. B., Stern, B. E., 2006: Soft gamma repeaters outside the Local Group. *Mon. Not. R. Astron. Soc.*, 365, 885-890.
- Portinari, L., Sommer-Larsen, J., 2007: The Tully-Fisher relation and its evolution with redshift in cosmological simulations of disc galaxy formation, *Mon. Not. R. Astron. Soc.*, 913-924.
- Portinari, L., Holmberg, J., Flynn, C., 2007: The Milky way and the Tully Fisher Relation. *Island Universes*, 978, 57.
- Poutanen, J., 2006: Accretion-powered millisecond pulsars. *Adv. Space Res.*, 38, 2697-2703.
- Poutanen, J., Beloborodov, A. M., 2006: Pulse profiles of millisecond pulsars and their Fourier amplitudes. *Mon. Not. R. Astron. Soc.*, 373, 836-844, 2006.
- Poutanen, J. et al., 2007: Super-critically accreting stellar-mass black holes as ultraluminous X-ray sources. *Mon. Not. R. Astron. Soc.*, 377, 1187-1194.

- Poutanen, T. et al. with Kurki-Suonio, H., Keihänen, E., 2006: Comparison of map-making algorithms for CMB experiments, *Astron. Astrophys.*, 449, 1311-1322.
- Pyatunina, T.B. et al. with Teräsranta, H., 2006: Frequency-dependent time-delays for strong outbursts in selected blazars from the Metsähovi and the University of Michigan Radio Astronomy Observatory monitoring databases - I. *Mon. Not. R. Astron. Soc.*, 373, 1470-1482.
- Raiteri, C. M. et al. with Ibrahimov, M. A., Tornikoski, M., Berdyugin, A., Lähteenmäki, A., Lindfors, E., Pasanen, M., Pursimo, T., Takalo, L. O., 2006: Multifrequency variability of the blazar AO 0235+164. The WEBT campaign in 2004-2005 and long-term SED analysis. *Astron. Astrophys.*, 459, 731-743.
- Raiteri, C.M. et al. with Pursimo, T., Ibrahimov, A., Nilsson, K., Berdyugin, A., Hovatta, T., Lähteenmäki, A., Lindfors, E., Östman, L., Pääkkönen, P., Pasanen, M., Takalo, L., Torniainen, I., Tornikoski, M., 2007: WEBT and XMM-Newton observations of 3C 454.3 during the post-outburst phase. Detection of the little and big blue bumps. *Astron. and Astrophys.*, 473, 819-827.
- Ramsay, G., Cropper, M., Hakala, P., 2006: XMM-Newton and Chandra observations of the ultra-compact binary RX J1914 + 24, *Mon. Not. R. Astron. Soc.: Letters*, 367, L62-L65
- Ridderstad, M., Juvela, M., Lehtinen, K., Lemke, D., Liljeström, T., 2006: Properties of dust in the high-latitude translucent cloud L1780. I. Spatially distinct dust populations and increased dust emissivity from ISO observations. *Astron. Astrophys.* 451, 961-971.
- Riehm, T., Zackrisson, E., Wiik, K., Möller, O., 2007: On the Probability for Sub-Halo Detection through Quasar Image Splitting. *Dark Galaxies and Lost Baryons*, 244, 376-377.
- Rodríguez-Gil, P. et al. with Lehto, H., 2007: SW Sextantis stars: the dominant population of cataclysmic variables with orbital periods between 3 and 4h. *Mon. Not. R. Astron. Soc.*, 377, 1747-1762.
- Romeo, A. D., Portinari, L., Sommer-Larsen, J., 2006: Galaxy populations in simulated clusters of galaxies, *Memorie della Societa Astronomica Italiana Supplement*, 9, 405.
- Sambruna, R. M. et al. with Torniainen, I., 2006: Discovery of an Extreme MeV Blazar with the Swift Burst Alert Telescope., *Astrophys. J.*, 646, 23-25.
- Saviane, I., Pirola, V. et al. with Katajainen, S., Lehto, H., Vornanen, T., Berdyugin, A., Hakala, P., 2007: Circular Polarimetry Now Offered at EFOSC2. *The Messenger*, 129, 14-16.
- Savolainen, T., Wiik, K., Valtaoja, E., Tornikoski, M, 2006: Multifrequency VLBA Monitoring of 3C273 during INTEGRAL Campaign in 2003. I. Kinematics of the parsec scale jet from 43 GHz data. *Astron. and Astrophys.*, 446, 71-85.
- Savolainen, T. et al. with Wiik, K., Valtaoja, E., Tornikoski, M., 2006: An extremely curved relativistic jet in PKS 2136+141. *Astrophys. J.*, 647, 172-184.
- Schüssler, M., Ferriz Mas, A., 2007: Flow instabilities of magnetic flux tubes. I. Perpendicular flow. *Astron. Astrophys.*, 463, 23-29.
- Shapiro, A. I. et al. with Berdyugina S. V., 2007: Molecular Hanle effect in the Paschen-Back regime. *Astron. Astrophys.*, 461, 339-349.
- Sollerman, J. et al. with Näränen, J., 2006: Supernova 2006aj and the associated X-ray Flash 060218. *Astron. Astrophys.* 454, 503-509.

- Sollerman, J. et al. with Ibrahimov, M., Järvinen, S. P., 2007: The nature of the X-Ray Flash of August 24 2005. Photometric evidence for an on-axis $z=0.83$ burst with continuous energy injection and an associated supernova? *Astron. Astrophys.*, 466, 839-846.
- Soria, R. et al. with Hannikainen, D. C., 2006: An ultraluminous X-ray microquasar in NGC5408? *Mon. Not. R. Astron. Soc.*, 368, 1527.
- Southworth, J. et al. with Hakala, P., Lehto, H., 2007: Orbital periods of cataclysmic variables identified by the SDSS - II. Measurements for six objects, including two eclipsing systems, *Mon. Not. R. Astron. Soc.*, 382, 1145-1157.
- Tago, E., et al., with Heinämäki, P., 2006: Clusters and groups of galaxies in the 2dF galaxy redshift survey: A new catalogue, *Astronomische Nachrichten*, 327, 365.
- Theureau, G., Hanski, M. O., et al., 2007: Kinematics of the Local Universe. XIII. 21-cm line measurements of 452 galaxies with the Nançay radiotelescope, JHK Tully-Fisher relation, and preliminary maps of the peculiar velocity field. *Astronomy and Astrophysics*, 465, 71-85.
- Thom, C. et al. with Flynn, C., 2006: The Galactic Nature of High-Velocity Cloud Complex WB. *Astrophys. J.*, 638, L97-L100.
- Tikhomirova, Ya. et al. with Poutanen, J., 2006: New soft gamma-ray bursts in the BATSE records and spectral properties of X-ray rich bursts. *Mon. Not. R. Astron. Soc.*, 367, 1473-1477.
- Torniainen, I., Tornikoski, M., Lähteenmäki, A. et al., 2007: Mingaliev, M.G.: Radio continuum spectra of gigahertz-peaked spectrum galaxies. *Astron. Astrophys.*, 469, 451-457.
- Treuthardt, P., Buta, R., Salo, H., Laurikainen, E., 2007: The Kinematically Measured Pattern Speeds of NGC 2523 and NGC 4245. *Astronomical J.*, 134, 1195-1205.
- Türler, M. et al. with Lähteenmäki, A., Tornikoski, M., 2006.: A historic jet-emission minimum reveals hidden spectral features in 3C273. *Astron. Astrophys.*, 451, L1-L4.
- Valtonen, M. J., Nilsson, K., Sillanpää, A., Takalo, L. O., Lehto, H. J. et al., 2006: The 2005 November Outburst in OJ 287 and the Binary Black Hole Model, *Astrophys. J.*, 643, L9-L12.
- Valtonen, M. J., 2007: New Orbit Solutions for the Precessing Binary Black Hole Model of OJ 287. *Astrophys. J.*, 659 1074-1081.
- Villar-Sbaffi, A. et al. with Piironen, V., 2006, An Extreme Case of a Misaligned Highly Flattened Wind in the Wolf-Rayet Binary CX Cephei. *Astrophys. J.*, 640, 995-1004.
- Villata, M. et al. with Nilsson, K., Berdyugin, A., Laurikainen, E., Lähteenmäki, A., Pursimo, T., Savolainen, T., Sillanpää, A., Takalo, L.O., Teräsraanta, H., Tornikoski, M., 2006: The unprecedented optical outburst of the quasar 3C 454.3. The WEBT campaign of 2004-2005. *Astron. Astrophys.*, 453, 817-822.
- Villata, M. et al. with Ibrahimov, M. A., Lähteenmäki, A., Nilsson, K., Pursimo, T., Sillanpää, A., Takalo, L. O., Tornikoski, M., Trigilio, C., 2007: The radio delay of the exceptional 3C 454.3 outburst. Follow-up WEBT observations in 2005-2006. *Astron. Astrophys.*, 464, L5-L9.
- Watson, D. et al. with Näränen, J., 2006: A $\log \text{NHI} = 22.6$ Damped LyAlpha Absorber in a Dark Gamma-Ray Burst: The Environment of GRB 050401. *Astrophys. J.* 652, 1011-1019.

- You, J., 2007: Photometric periods of LQ Hydreae between 1992 and 2000. *Astron. Astrophys.*, 475, 309-315.
- Zackrisson, E., Riehm, T., 2007: High-redshift microlensing and the spatial distribution of dark matter in the form of MACHOs. *Astron. Astrophys.*, 475, 453-465.
- Zackrisson, E., Riehm, T., Lietzen, H., Möller, O., Wiik, K., Nurmi, P., 2007: The Detectability of Dark Galaxies Through Image-Splitting Effects. *Dark Galaxies and Lost Baryons*, 244, 397-398.
- Zackrisson, E. et al. with Flynn, C., 2007: Red Halos of Galaxies – Reservoirs of Baryonic Dark Matter? *Dark Galaxies and Lost Baryons*, 244, 17-25.
- Zioutas, K., et al., with Huovelin, J., Vilhu, O., 2006: Indirect signatures for axion(-like) particles. *Journal of Physics: Conference Series* 39, 103-106.

Space geodesy, remote sensing and atmospheric sciences

- Arola, A., Lindfors, A., Natunen, A., Lehtinen, K., 2007: A case study on biomass burning aerosols: effects on aerosol optical properties and surface radiation levels. *Atmos. Chem. Phys.*, 7, 4257-4266.
- Arslan, A., Pullainen, J., Hallikainen, M., 2006: Observation of L- and C-band backscatter and a semi-empirical backscattering model approach from a forest-snow-ground system. *Progress in Electromagnetics Research*, PIER 56, 263-281.
- Arst, H., Erm, A., Leppäranta, M., Reinart, A., 2006. Radiative characteristics of ice-covered freshwater and brackish water bodies. *Proc. Estonian Acad. Sci., Geology* 55(1): 3–23.
- Boyd, I. S. et al. with Kyrölä, E., 2007: Ground-based microwave ozone radiometer measurements compared with Aura-MLS v2.2 and other instruments at two Network for Detection of Atmospheric Composition Change sites. *J. Geophys. Res.*, 112, D24S33, doi:10.1029/2007JD008720.
- Cai J., Koivula, H., Grafarend, E.W., Poutanen, M., 2007: The statistical analysis of the eigenspace components of the strain rate tensor derived from FinnRef GPS measurements (1997-2004) in Fennoscandia. In: Xu P, J Liu and A Dermanis (Eds.): *Proc. IAG Symposia 132. VI Hotine-Marussi Symposium of Theoretical and Computational Geodesy: Challenge and Role of Modern Geodesy*, Springer, 79-87.
- Chanrion, O. et al. with Enell, C.-F., 2007: The EuroSprite 2005 observational campaign: An example of training and outreach opportunities for CAL young scientists. *Adv. Geosciences*, 13, 3-9.
- Clilverd, M. A. et al. with Seppälä, A., Verronen, P. T., 2006: Ionospheric evidence of thermosphere-to-stratosphere descent of polar NOX. *Geophys. Res. Lett.*, Vol. 33, No. 19, L19811, doi:10.1029/2006GL026727.
- Clilverd, M. A. et al. with Seppälä, A., 2007: Temporal variability of the descent of high-altitude NOx. *J. Geophys. Res.*, 112, A09307, doi: 10.1029/2006JA012085.
- Clilverd, M.A. et al. with Verronen, P.T., 2007: Improved dynamic geomagnetic rigidity cutoff modeling: testing predictive accuracy. *J. Geophys. Res.*, 112, A08302, doi: 10.1029/2007JA012410

- Clilverd, M. A. et al. with Ulich, Th., Raita, T., 2007: Energetic particle precipitation into the middle atmosphere triggered by a coronal mass ejection, *J. Geophys. Res.*, 112, A12206, doi:10.1029/2007JA012395.
- Fussen, D. et al. with Kyrölä, E., Tamminen, J., Sofieva, V., 2006: A global OCIO stratospheric layer discovered in GOMOS stellar occultation measurements. *Geophys. Res. Lett.*, 33, L13815, doi:10.1029/2006GL026406.
- Haapanen, R., Tokola, T., 2007: Creating a digital treeless peatland map by using satellite image interpretation. *Scandinavian Journal of Forest Research* 22: 48-59.
- Häkli, P., 2007: A case study on Virtual Reference Station Concept in Finland. *Survey Review* 39, 304, 145-155.
- Hauchecorne, A. et al. with Kyrölä, E., 2007: Large increase of NO₂ in the north polar mesosphere in January-February 2004: Evidence of a dynamical origin from GOMOS/ENVISAT and SABER/TIMED data. *Geophys. Res. Lett.*, Vol. 34, 3, L03810.
- Hocke, K. with Kyrölä, E., 2007: Comparison and synergy of stratospheric ozone measurements by satellite limb souders and the ground-based microwave radiometer SOMORA. *Atmos. Chem. Phys.*, 7, 4117-4131.
- Kaartinen, H., Hyppä, J., 2006: EuroSDR-Project Commission 3 “Evaluation of Building Extraction”, Final Report, In: EuroSDR – European Spatial Data Research, Official Publication No 50, 9-77.
- Kaasalainen, S., Kaasalainen, M., Mielonen, T., Suomalainen, J., Peltoniemi, J., Näränen, J., 2006: Optical properties of snow in backscatter, *J. Glaciology*, 52, 179, 574–584.
- Kaasalainen, S., Lindroos, T., Hyppä, J., 2007: Toward hyperspectral lidar - Measurement of spectral backscatter intensity with a supercontinuum laser source. *IEEE Geoscience and Remote Sensing Letters*, 4, 2, 211-215.
- Kaasalainen, S., Rautiainen, M., 2007: Backscattering measurements from individual Scots pine needles. *Appl. Opt.* 46, 22, 4916-4922.
- Karjalainen, M., Hyppä, J., Kuittinen, R., 2007: Determination of exterior orientation using linear features from vector maps. *Photogrammetric Record*, 21, 116, 329-341.
- Karjalainen, M., 2007: Geocoding of Synthetic Aperture Radar Images Using Digital Vector Maps. *IEEE Geoscience and Remote Sensing Letters*, 4(4): 616-620.
- Kazantzidiz, A. et al. with Kyrö, E., Lakkala, K., Turunen, T., 2006: Comparison of satellite-derived UV irradiances with ground-based measurements at four European stations. *J. Geophys. Res.*, 111, D13207, doi:10.1029/2005JD006672.
- Koponen, S., Vepsäläinen, J., Pulliainen, J., Kallio, K., Pyhälahti, T., Lindfors, A., Rasmus, K., and Hallikainen, M., 2007: A case study of airborne and satellite remote sensing of a spring bloom event in the Gulf of Finland. *Continental Shelf Research*, 27, 228-244.
- Korpela, I., Tokola, T. 2006: Potential of aerial image-based monoscopic and multiview single-tree forest inventory - a simulation approach. *Forest Science* 52, 2, 136-147.
- Kyrölä, E., Tamminen, J., Leppelmeier, G. W., Sofieva, V., Hassinen, S., Seppälä, A., Verronen, P. et al., 2007: Nighttime ozone profiles in the stratosphere and mesosphere by the Global Ozone Monitoring by Occultation of Stars on Envisat. *J. Geophys. Res.*, 111, D24306, doi:10.1029/2006JD007193, 2006.
- Leppäranta, M., Lewis, J.E., 2007: Observations of ice surface temperature and thickness in the Baltic Sea. *Int. J. Remote Sensing*, 28, 17, 3963-3977.

- Liang, X., Hyppä, J., Matikainen, L., 2007: Deciduous-coniferous tree classification using difference between first and last pulse laser signatures. International Archives of Photogrammetry, Remote Sensing and Spatial Information Sciences, 36(3/W52).
- Luojuus, K., Pulliainen, J., Metsämäki, S., Hallikainen, M., 2006: Accuracy assessment of SAR data-based snow-covered area estimation method. IEEE Trans. Geoscience and Remote Sensing, 44, 277-287.
- Luojuus, K., Pulliainen, J., Metsämäki, S., and Hallikainen, M., 2007: Snow covered area estimation using satellite radar wide swath images. IEEE Trans. Geoscience and Remote Sensing, 45, 978-989.
- Mäkinen, A. M., Korpela, I., Tokola, T., Kangas, A. S., 2006: Effects of Imaging Conditions on Crown Diameter Measurements from High Resolution Aerial Images. Canadian Journal of Forest Research 36, 5, 1206-1217 .
- Mäkynen, M., Similä, M., Manninen, T., Hallikainen, M., Karvonen, J., 2006: Dependence between standard deviation and measurement length for C-band backscattering signatures of the Baltic Sea ice. IEEE Trans. Geoscience and Remote Sensing, 44, 10, 2890-2898.
- Mäkynen, M., Cheng, B., Similä, M., Vihma, T., and Hallikainen, M., 2007: Comparisons between SAR backscattering coefficient and results of a thermodynamic snow/ice model for the Baltic Sea land-fast sea ice. IEEE Trans. Geoscience and Remote Sensing, 45, 5, 1131-1141.
- Maltamo, M., Hyppä, J., Malinen, J., 2006: A comparative study of the use of laser scanner data and field measurements in the prediction of crown height in boreal forests. Scandinavian Journal of Forest Research, 21, 3, 231-238.
- Maltamo, M., Eerikäinen, K., Packalén, P., Hyppä, J., 2006: Estimation of stem volume using laser scanning-based canopy height metrics. Forestry, 79, 2, 217-229.
- Maltamo, M., Packalén, P., Peuhkurinen, J., Suvanto, A., Pesonen, A., Hyppä, J., 2007: Experiences and possibilities of ALS based forest inventory in Finland, International Archives of Photogrammetry, Remote Sensing and Spatial Information Sciences, 36(3/W52).
- Maltamo, M., Korhonen, K.T., Packalén, P., Mehtätalo, L., Suvanto A., 2007: A test on the usability of truncated angle count sample plots as ground truth in airborne laser scanning based forest inventory. Forestry, 80, 73-81.
- Maltamo, M., Malinen, J., Packalén, P., Suvanto, A., Kangas, J., 2006: Non-parametric estimation of stem volume using laser scanning, aerial photography and stand register data. Canadian Journal of Forest Research 36: 426-436.
- Maltamo, M., Packalén, P., Peuhkurinen, J., Suvanto, A., Pesonen, A., Hyppä, J., 2007: Experiences and possibilities of ALS based forest inventory in Finland. International Archives of Photogrammetry, Remote Sensing and Spatial Information Sciences XXXVI (Part 3/W52), 270-279.
- Maltamo, M., Suvanto, A., Packalén, P., 2007: Comparison of basal area and stem frequency diameter distribution modelling using airborne laser scanner data and calibration estimation. Forest Ecology and Management 247, 26-34.
- Manninen, T., Penttila A., Lumme K., 2007: C-band scattering simulation of a Scots pine shoot. Waves in random and complex media, 17.
- Matikainen, L., 2006: Improving automation in rule-based interpretation of remotely sensed data by using classification trees. Photogrammetric J. Finland, 20, 1, 5-20.

- Matikainen, L., Hyppä, J., Engdahl, M. E., 2006: Mapping built-up areas from multitemporal interferometric SAR images – a segment-based approach. *Photogrammetric Engineering & Remote Sensing*, 72, 6, 701–714.
- Matikainen, L., Kaartinen, H., Hyppä, J., 2007: Classification tree based building detection from laser scanner and aerial image data, *International Archives of Photogrammetry, Remote Sensing and Spatial Information Sciences*, 36(3/W52), 280-287.
- Mehtätalo, L., Maltamo, M., Packalén, P., 2007: Recovering plot-specific diameter distribution and height-diameter curve using ALS based stand characteristics. *International Archives of Photogrammetry, Remote Sensing and Spatial Information Sciences XXXVI (Part 3/W52)* , 288-293
- Morisette, J.T. et al. with Stenberg, P., Rautiainen, M., Voipio, P., Manninen, T., 2006: Validation of global moderate resolution LAI Products: a framework proposed within the CEOS Land Product Validation subgroup. *IEEE Trans. Geoscience and Remote Sensing*, 44, 7, 1804-1817.
- Neumeyer J. et al. with Virtanen, H., 2006: Combination of temporal gravity variations resulting from Superconducting Gravimeter (SG) recordings, GRACE satellite observations and global hydrology models. *J. Geodesy*. DOI: 10.1007/s00190-005-0014-8.
- Nordman, M., Eresmaa, R., Poutanen, M., Järvinen, H., Koivula, H., Luntama, J.-P., 2007: Using numerical weather prediction model derived tropospheric slant delays in GPS processing: a case study. *Geophysica*, 43, 12, 4351.
- Norjamäki, I., Tokola, T., 2007: Comparison of Atmospheric Correction Methods In Mapping Timber Volume with Multitemporal Landsat Images in Kainuu, Finland. *Photogrammetric Engineering and Remote Sensing* 73, 2, 155-164.
- Packalén, P., Maltamo, M., 2006: Predicting the volume by tree species using airborne laser scanning and aerial photographs. *Forest Science*, 52, 611-622.
- Packalén, P., Maltamo, M., 2007: The k-MSN method in the prediction of species specific stand attributes using airborne laser scanning and aerial photographs. *Remote Sensing of Environment*, 109, 328-341.
- Packalén, P., Tokola, T., Saastamoinen, J., Maltamo, M., 2006: Use of a superresolution method in interpretation of forests from multiple NOAA/AVHRR images. *Int. J. Remote Sensing*, 27, 5341-5357.
- Peltoniemi, J.I., 2007: Spectropolarised ray-tracing simulations in densely packed particulate medium, *J. Quant. Spectr. Rad. Trans.*, 2, 108, 180-196.
- Peltoniemi, J., Piironen, J., Näränen, J., Suomalainen, J., Kuittinen, R., Honkavaara, E., Markelin, L., 2007: Bidirectional reflectance spectrometry of gravel at the Sjökulla test field, *ISPRS Journal of Photogrammetry and Remote Sensing*, 62, 6, 434-446.
- Peuhkurinen, J., Maltamo, M., Malinen, J., Pitkänen, J., Packalén, P., 2007: Preharvest measurement of marked stands using airborne laser scanning. *Forest Science*, 53, 653-661.
- Poutanen M. et al., 2007: The Nordic Geodetic Observing System (NGOS). In *Dynamic Planet - Monitoring and Understanding a Dynamic Planet with Geodetic and Oceanographic Tools*, Conference of the International Association of Geodesy 22-26 August 2005, (Ed. C. Rizos and P. Tregoning), IAG Symposia, 130 749-756.

- Pulliainen, J., 2006: Mapping of snow water equivalent and snow depth in boreal and sub-arctic zones by assimilating space-borne microwave radiometer data and ground-based observations. *Remote Sensing of Environment*, 101, 257-269.
- Praks, J. et al. with Hallikainen, M., 2007: Height Estimation of Boreal Forest: Interferometric Model-Based Inversion at L- and X-Band Versus HUTSCAT Profiling Scatterometer. *Geoscience and Remote Sensing Letters*, 4, 3, 466-470.
- Rautiainen M., Suomalainen J., Mottus M., Stenberg P., Voipio P., Peltoniemi J., Manninen, T., 2007: Coupling forest canopy and understory reflectance in the Arctic latitudes of Finland. *Remote Sensing of Environment*, 110, 3, 332-343.
- Rodger, C.J. et al. with Verronen, P.T., Turunen, E., 2006: The Atmospheric Implications of Radiation Belt Remediation. *Ann. Geophys.*, 24, 2025-2041.
- Rodger, C.J. et al. with Enell, C.F., Turunen, E., and Verronen, P.T., 2007: Lightning-driven inner radiation belt energy deposition into the atmosphere: Implications for ionisation-levels and neutral chemistry. *Ann. Geophys.*, 25, 1745-1757.
- Rodger, C.J. et al. with Seppälä, A., Turunen, E., 2007: Radiation belt electron precipitation into the atmosphere: recovery from a geomagnetic storm. *J. Geophys. Res.*, 112, A11307, doi: 10.1029/2007JA012383.
- Rönnholm, P., Pöntinen, P., Nuikka, M., Suominen, A., Hyppä, H., Kaartinen, H., Absetz, I., Hirsi, H., Hyppä, J., 2006: Experiments on Deformation Measurements of "Helsinki Design Week 2005" Info Pavilion. ISPRS Commission V Symposium: Image Engineering and Vision Metrology, Dresden, 2006, International Archives of Photogrammetry, Remote Sensing and Spatial Information Sciences, XXXVI (Part 5). 6 p.
- Rönnholm, P., Honkavaara, E., Litkey, P., Hyppä, H., Hyppä, J., 2007: Integration of laser scanning and photogrammetry, International Archives of Photogrammetry, Remote Sensing and Spatial Information Sciences, 36(3/W52, 355-362.
- Seppälä, A., Verronen, P.T., Sofieva, V.F., Tamminen, J., Kyrölä, E. et al., 2006: Destruction of the Tertiary Ozone Maximum During a Solar Proton Event. *Geophys. Res. Lett.*, 33, L07804, doi:10.1029/2005GL025571.
- Seppälä, A. et al. 2007: NO_x enhancements in the middle atmosphere during 2003-2004 polar winter: The relative significance of Solar Proton Events and the Aurora as a source. *J. Geophys. Res.*, 112, D23303. doi: 10.1029/2006JD008326
- Seppälä, A. et al. with Verronen, P.T., Tamminen, J., Sofieva, V., Backman, L., and Kyrölä, E., 2007: Arctic and Antarctic polar winter NO_x and energetic particle precipitation in 2002-2006. *Geophys. Res. Lett.*, 34, 12, L12810. doi:10.1029/2007GL029733
- Sica, R. J. et al. with Kyrö, E., 2007: Validation of the Atmospheric Chemistry Experiment (ACE) version 2.2 temperature using ground-based and space-borne measurements, *Atmos. Chem. Phys. Discuss.*, 7, 12463-12539.
- Sofieva, V. F., Tamminen, J., Kyrölä, E., and GOMOS CAL/VAL team, 2006: Modelling Errors of GOMOS Measurements: Sensitivity Study. *Atmosphere and Climate, Studies by Occultation Methods*, 67-78.
- Sofieva, V. F., Kyrölä, E., Hassinen, S., Backman, L., Tamminen, J., Seppälä, A., 2007: Global analysis of scintillation variance: Indication of gravity wave breaking in the polar winter upper stratosphere. *Geophys. Res. Lett.*, 34, L03812, doi:10.1029/2006GL028132.

- Sofieva, V. F. et al., 2007: Reconstruction of internal gravity wave and turbulence parameters in the stratosphere using GOMOS scintillation measurements. *J. Geophys. Res.*, 112, D12113, doi:10.1029/2006JD007483.
- Steck, T. et al with Kyrö, E., 2007: Bias determination and precision validation of ozone profiles from MIPAS-Envisat retrieved with the IMK-IAA processor, *Atmos. Chem. Phys.*, 7, 3639-3662
- Sugita, T. et al with Taalas, P., Kyrö, E., 2006: Ozone profiles in the high-latitude stratosphere and lower mesosphere measured by the Improved Limb Atmospheric Spectrometer (ILAS)-II: Comparison with other satellite sensors and ozonesondes, *J. Geophys. Res.*, Vol. 111, D11S02, doi: 10.1029/2005JD006439
- Tamminen, J., Karhu, J.A., Kyrölä, E., Hassinen, S., Kyrö, E. et al., 2006: GOMOS ozone profiles at high latitudes: comparison with Marambio and Sodankylä sonde measurements. *Atmosphere and Climate, Studies by Occultation methods*, 47-54.
- Tanskanen, A., Krotkov, N. Herman, J., Arola, A., 2006: Surface Ultraviolet Irradiance From OMI. *IEEE Trans. Geoscience and Remote Sensing*, 44, 1267-1271.
- Tanskanen, A., Manninen, T., 2007: Effective UV surface albedo of seasonally snow-covered lands. *Atmos. Chem. Phys.*, 7, 2759-2764.
- Tervo, M., Poutanen, M., Koivula, H., 2007: Tide gauge monitoring using GPS, Dynamic Planet - Monitoring and Understanding a Dynamic Planet with Geodetic and Oceanographic Tools, Conference of the IAG 2005, Cairns (Rizos, C. and Tregoning, P. (Eds.)), IAG Symposia , Vol. 130: 75-79.
- Tokola, T. et al. with Tuominen S. and Holopainen, M., 2007: Forest Reconnaissance Surveys: Comparison of Estimates Based on Simulated TerraSAR, and Optical Data. *Photogrammetric J. Finland*, 20, 2, 64-79.
- Usoskin, I.G., Voiculescu, M., Kovaltsov, G. A., Mursula, K., 2006: Correlation between clouds at different altitudes and solar activity: Fact or artifact? *J. Atmos. Sol.-Terr. Phys.*, 68, 2164-2172.
- Vermeer, M., Väisänen, M., 2006: Geodetic Baseline GPS Processing by a Simple Sequential Technique. GNSS2006 Conference Proceedings, Institute of Navigation, Fort Worth TX, USA, 2006.
- Vermeer, M., Kollo, K., 2007: Geoid precision from limited-area gravimetric surveys. *Geodesy and Cartography*, Vol. XXXIII No. 1.
- Verronen, P.T., Rodger, C.J., Clilverd, M.A., Pickett, H.M., Turunen, E., 2007: Latitudinal extent of the January 2005 solar proton event in the Northern Hemisphere from satellite observations of hydroxyl. *Ann. Geophys.*, 25, 2203-2215.
- Verronen, P.T., Seppälä, A., Kyrölä, E., Tamminen, J., Pickett, H.M. and Turunen, E., 2007: Production of Odd Hydrogen in the Mesosphere During the January 2005 Solar Proton Event. *Geophys. Res. Lett.*, 33, 24, L24811, doi:10.1029/2006GL028115.
- Villikka, M., Maltamo, M., Packalén, P., Vehman, M., Hyypä, J., 2007: Alternatives for predicting tree-stem volume of Norway Spruce using airborne laser scanning, *Photogrammetric J. Finland*, 20, 2, 33-42.
- Voiculescu, M., Usoskin, I. G. and Mursula, K., 2006: Different response of clouds to solar input, *Geophys. Res. Lett.*, 33, L21802 1-5.
- Voiculescu, M., Usoskin, I. G., Mursula, K., 2007: Effect of ENSO and volcanic events on the Sun-cloud link, *Adv. Space Res.*, 40, 1140-1145.

- Vömel, H. et al. with Kivi, R., Komala, N., Kyro, E., 2007: Validation of Aura/MLS Water Vapor by Balloon Borne Cryogenic Frostpoint Hygrometer Measurements. *Journal of Geophysical Research-Atmospheres*, 112, D24S37, doi:10.1029/2007JD008698.
- Voutilainen, A., Pyhälähti, T., Kallio, K., Pulliainen, J., Haario, H., Kaipio, J., 2007: A filtering approach for estimating lake water quality from remote sensing data. *International Journal of Applied Earth Observation and Geoinformation*, 9, 50-64.
- Wang, K., Leppäranta, M., Reinart, A., 2006: Modeling ice dynamics in Lake Peipsi. *Verh. Internat. Verein Limnol.*, 29, 1443–1446.
- Wang, K., Leppäranta, M., Kouts, T., 2006: A study of sea ice dynamic events in a small bay. *Cold Regions Science and Technology*, 45, 83–94.
- Wang, K., 2007: Observing the yield curve of compacted pack ice, *J. Geophys. Res.*, 112, C05015, doi:10.1029/2006JC003610.
- Yu, X., Hyppä, J., Kukko, A., Maltamo, M., Kaartinen, H., 2006: Change detection techniques for canopy height growth measurements using airborne laser scanner data. *Photogrammetric Engineering & Remote Sensing*, 72, 1339-1348

Instruments and methods

- Ahokas, E., Kaasalainen, S., Hyppä, J., Suomalainen, J., 2006: Calibration of the Optech ALTM 3100 laser scanner intensity data using brightness targets. *ISPRS Commission I Symp*, 2006, Marne-la-Vallée, Int. Archives of Photogrammetry, Remote Sensing and Spatial Information Sciences, 36(A1), CD-ROM.
- Berglund, R., Kotovirta, V., Seinä, A., 2007: A system for icebreaker navigation and assistance planning using spaceborne SAR information in the Baltic Sea. *Canadian Journal of Remote Sensing*, 33, 5, 378 – 387.
- Colliander, A., Kettunen, J., Hallikainen, M., 2006: Calibration of End-to-End Phase Imbalance of Polarimetric Radiometers, *IEEE Trans. Geoscience and Remote Sensing*, 44, 10, 2635-2641.
- Colliander, A., Ruokokoski, L., Suomela, J., K. Veijola, Kettunen, J., Kangas, V., Aalto, A., Levander, M., Greus, H., Hallikainen, M., Lahtinen, J., 2007: Development and Calibration of SMOS Reference Radiometer, *IEEE Trans. Geoscience and Remote Sensing*, 45, 7, 1967-1977.
- Colliander, A., Lahtinen, J., Tauriainen, S., Pihlflyckt, J., Lemmetyinen, J., Hallikainen, M, 2007: Sensitivity of Airborne 36.5-GHz Polarimetric Radiometer's Wind-Speed Measurement to Incidence Angle, *IEEE Trans Geoscience and Remote Sensing*, 45, 7, 2122-2129.
- Haario, H., Laine, M., Mira, A., Saksman, E., 2006: DRAM: Efficient adaptive MCMC. *Statistics and Computing*, 16, 4, 339-354.
- Honkavaara, E., Ahokas, E., Hyppä, J., Jaakkola, J., Kaartinen, H., Kuittinen, R., Markelin, L., Nurminen, K., 2006: Geometric test field calibration of digital photogrammetric sensors. *ISPRS Journal of Photogrammetry and Remote Sensing*, Special Issue on Digital Photogrammetric Cameras, 60, 6, 387–399.

- Honkavaara, E., Jaakkola, J., Markelin, L., Becker, S., 2006: Evaluation of resolving power and MTF of DMC. International Archives of Photogrammetry, Remote Sensing and Spatial Information Sciences, 36(A1), 6 p.
- Honkavaara, E., Jaakkola, J., Markelin, L., Nurminen, K., Ahokas, E., 2006: Theoretical and empirical evaluation of geometric performance of multi-head large format photogrammetric sensors. International Archives of Photogrammetry, Remote Sensing and Spatial Information Sciences, 36(A1), 6 p.
- Honkkila, V. and Janhunen, P., 2007: HLLC solver for ideal relativistic MHD. *J. Comput. Phys.*, 223, 643-656.
- Hyyppä, H., Rönnholm, P., Hyppä, J., Yu, X., Kaartinen, H., 2006: Laser scanner derived digital terrain models for highway planning in forested areas, *Nordic Journal of Surveying and Real Estate Research*, 3, 1, 69–82.
- Janhunen, P., Sandroos, A., 2007: Simulation study of solar wind push on a charged wire: basis of solar wind electric sail propulsion. *Ann. Geophys.*, 25, 755-767.
- Kaasalainen, S., Hyppä, J., Litkey, P., Hyppä, H., Ahokas, E., Kukko, A., Kaartinen, H., 2007. Radiometric calibration of ALS intensity, International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences, 36(3/W52).
- Kukko, A., Andrei, C.-O., Salminen, V.-M., Kaartinen, H., Chen, Y., Rönnholm, P., Hyppä, H., Hyppä, J., Chen, R., Haggrén, H., Kosonen, I., Capek, K., 2007: Road environment mapping system of the Finnish Geodetic Institute – FGI ROAMER, International Archives of Photogrammetry, Remote Sensing and Spatial Information Sciences, 36(3/W52).
- Kukko, A., Hyppä, J., 2007. Laser scanner simulator for system analysis and algorithm development: A case with forest measurements, International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences, 36(3/W52).
- Lebreton, J.P. et al. with Merikallio, 2006: The ISL Langmuir Probe experiment and its data processing onboard DEMETER: scientific objectives, description and first results. *Planet. Space Sci.*, 54, 5, 472-486.
- Lemmettyinen, J., Uusitalo, J., Kainulainen, J., Rautiainen, K., Fabritius, N., Levander, M., Kangas, V., Greus, H., Pihlflyckt, J., Kontu, A., Kemppainen, S., Colliander, A., Hallikainen, M., Lahtinen, J., 2007: SMOS Calibration Subsystem, *IEEE Transactions on Geoscience and Remote Sensing*, 45, 11, 3691-3700
- Leppelmeier, G.W., Aulamo, O., Hassinen, S., Mälkki, A., Riihisaari, T., Tajakka, R., Tamminen, J., Tanskanen, A., 2006: OMI very fast delivery and the Sodankylä Satellite Data Centre. *IEEE Transactions on Geoscience and Remote Sensing*, 44, 5, 1283-1287.
- Levlett, P.F. et al. with Mälkki, A., and Saari, H., 2006: The ozone monitoring instrument. *IEEE Trans. Geoscience and Remote Sensing*, 44, 5, 1093-1101.
- Litkey, P., Rönnholm, P., Lumme, J., Liang, X., 2007: Waveform features for tree identification, International Archives of Photogrammetry, Remote Sensing and Spatial Information Sciences, 36(3/W52).
- Lönnqvist, A., Tamminen, A., Mallat, J., Räisänen, A.V., 2006: Monostatic reflectivity measurement of radar absorbing materials at 310 GHz, *IEEE Trans. Microwave Theory and Techniques*, 54, 9, 3486-3491.

- Louhisuo, M., Veijonen, T., Ahola, J., Morohoshi, T., 2007: A disaster information and monitoring system utilizing earth observation. *Management of Environmental Quality*, 18, 3, 246 – 262.
- Molinier, M., Laaksonen, J., Häme, T., 2007: Detecting man-made structures and changes in satellite imagery with a content-based information retrieval system built on self-organizing maps. *IEEE Trans. Geoscience and Remote Sensing*. 45, 4, 861-874
- Vierinen, J., Lehtinen, M., Orispää, M., Damtie, B., 2007: General radar transmission codes that minimize measurement error of a static target, *IEEE Trans. Information Theory*, 1, 11, 1-7.
- Viikari, V., Mallat, J., Ala-Laurinaho, J., Hækli, J., Räisänen, A.V., 2006: A frequency shift technique for pattern correction in hologram-based CATRs, *IEEE Trans. Antennas Propagat.*, 54, 10, 2963-2968.
- Viikari, V., Räisänen, A.V., 2007: Antenna pattern correction technique based on signal-to-interference ratio optimization, *IEEE Antennas Wireless Propag. Lett.*, 6, 267-270.
- Viikari, V., Kolmonen, V.-M., Salo, J., Räisänen, A.V., 2007: Antenna pattern correction technique based on an adaptive array algorithm, *IEEE Trans. on Antennas and Propagation*, 55, 8, 2194 – 2199.